# **115XL**



1 x15" Stackable Aluminum Drive Bass Enclosure

**Owners Manual** 



# Hartke

## **115XL Introduction and Features**

Congratulations on purchasing the 115XL bass enclosure by Hartke! The XL Series enclosures have been designed to provide excellent tone with a warm punchy output. The 115XL features a 15", proprietary low frequency driver with an aluminum cone, impregnated fabric surround, and matched convex dust cover all mounted in a heavy-duty steel frame. Using heavy-duty plywood construction, covered in rugged carpet with recessed jack plate and ergonomic handle, the 115XL will provide reliable performance from gig to gig and venue to venue.

In these pages, you'll find a detailed description of the features of the 115XL, as well as a description of its front and rear panels, step-by-step instructions for its setup and use and full specifications. You'll also find a warranty card enclosed—please don't forget to fill it out and mail it in so that you can receive online technical support and so we can send you updated information about these and other Samson products in the future.

We recommend you record your serial number in the space provided below for future reference.

Serial number:

Date of purchase:

Should your unit ever require servicing, a Return Authorization number (RA) must be obtained before shipping your unit to Samson. Without this number, the unit will not be accepted. Please call Samson at 1-800-3SAMSON (1-800-372-6766) for a Return Authorization number prior to shipping your unit. Please retain the original packing materials and if possible, return the unit in the original carton and packing materials.

#### 115XL Features

- 1 x 15 Inch heavy-duty, Aluminum Low Frequency driver
- 3/4" Plywood construction
- Front Shelf Port
- Perforated metal speaker grill
- Recessed metal handles
- Stacking corners
- Dual, parallel wired 1/4" jacks
- Covered in durable carpet



### **Connecting the 115XL**

#### About Impedance

Before you hook up your speaker cabinet, be sure that you understand a little about impedance. Impedance is the electronic load that the speaker puts on the power amplifier and is measured in Ohms.

Here is the tricky, yet simple rule of impedance: When two speakers, of equal impedance

are wired in "Parallel", the total impedance is cut in half and when two speakers are wired in "Series," the total impedance is the sum of the speakers individual impedance.

The 115XL impedance is 8 Ohms. So, when two 115XL's are connected together in parallel, the total impedance is 4 Ohms. The impedance of your speaker also has an effect on your amplifier. In general, the lower the impedance, the more power your amplifier will put out.


**IMPORTANT**: There is a minimum safe impedance so be sure to check the manufacturer's recommended impedance for your amplifier to avoid any damage to your amplifier or voiding your warranty.


#### Connecting the 115XL to Your Amplifier

The 115XL connections are made via 1/4" phone jacks located on the rear panel jack-plate. Be sure to make your connection with un-shielded speaker cable. Connect the Amplifier Output to the speaker Input on the 115XL's rear jackplate.

#### Using the EXTENSION Output

The 115XL provides a convenient Extension Output for connecting additional speaker cabinets in parallel. Be sure to read the section above on impedance to insure a proper hook up with your amplifier. Follow the steps below to connect two 115XL's using the Extension Output. Connect the Amplifier Output to the Input of the first 115XL. Now, connect the Extension Output to the Input of the second 115XL.





# **Specifications**

### Hartke 115XL Specifications

Type Impedance (Ohms) Power Handling Drivers

SPL Frequency Response Inputs

Weight Dimensions Tuned, Vented Enclosure 8 Ohms Impedance 200 Watts RMS Power Handling 1-Hartke 15XL8 Special Design Aluminum 15", 8 ohm, 200 watt drive unit 98dB 30Hz - 2.5kHz Parallel 1/4"

63 lbs. (28.58) Height:24" (60.96 cm) Width: 24" (60.96 cm) Depth: 15" (38.1 cm)

# Hartke

Distributed Worldwide Exclusively by: Samson Technologies Corp. 575 Underhill Blvd. P.O. Box 9031 Syosset, NY 11791-9031 Phone: 1-800-3-SAMSON (1-800-372-6766) Fax: 516-364-3888 www.samsontech.com