



PROFESSIONAL WIRING SYSTEMS

1-800-346-3462 ■ WWW.CBICABLES.COM

2019

PRODUCT CATALOG

MUSIC INDUSTRY | **PRO-AUDIO** | VIDEO | **DATA** | LIGHTING | **POWER** | BULK



FAMILY OWNED & OPERATED FOR **OVER 35 YEARS**



For almost four decades, CBI has served a multitude of sub industries in the realm of music and entertainment. Our mission is to provide a comprehensive array of cable products that meet your needs with the quality and performance you can expect from an American manufacturer. Whether you are a sound engineer gearing up for your next big tour or a wood shedding guitar player, you can feel confident knowing CBI Cables are connecting your rig.

Located in New York State at the foothills of the Adirondack mountains, CBI has been owned and operated by the Brazinski family since 1981. To this day, we continue to take great pride in the fact that the majority of the product line found in this catalog is still hand soldered and assembled right here in our American manufacturing facility.

Truly a custom shop, CBI stands behind the "If you can think it we can build it" mentality. As technology trends in the entertainment industry change and evolve, we continue to take the necessary steps to ensure your cable needs are met with precision workmanship and the fastest turn around times in the industry, hands down.

In this catalog you will find an extensive product line that encompasses the needs of musicians and professionals who work in live audio, studio, lighting, and power industries.



CONTACT US

CALL

1.800.346.3462

EMAIL

SALES@CBICABLES.COM

CONNECT

HTTP://WWW.CBICABLES.COM

FOLLOW



TABLE OF CONTENTS

MUSIC INDUSTRY

INSTRUMENT CABLES.....	3 - 4
MUSIC ACCESSORIES.....	5
ELECTRONIC DEVICE & Y CABLES.....	6
ECONOMY CABLES.....	7
MICROPHONE & LINE AUDIO.....	8 - 9
SPEAKER CABLES.....	10 - 11

PROFESSIONAL AUDIO

SNAKES.....	12 - 14
MULTI-PIN AUDIO.....	15
STUDIO & RECORDING.....	16
INSTALLATION.....	17
PROFESSIONAL CABLE TESTERS.....	18

VIDEO & DATA

CATEGORY DATA CABLE.....	19
SDI.....	20 - 21

LIGHTING

DMX.....	22
DMX OVER DATA.....	23
COMBINATION.....	24
MULTI-PIN.....	25 - 26

POWER

POWERCON & TRUE1.....	27
PROFESSIONAL EXTENSION CORDS.....	28
MOLDED EXTENSION CORDS.....	29
POWER ACCESSORIES.....	30
CAM CABLES & COMPONENTS.....	31

BULK

CONNECTORS, WIRE, ACCESSORIES.....	32 - 40
------------------------------------	---------

SERVICES

CABLE PRINTING

A popular staple here at CBI. We send thousands of heat shrink printed cables out the door every week. Whether its a music store upping their branding game, a sound engineer who needs color coded lengths, or that one guy we all know who wants the rock star treatment (Because who doesn't want their own signature cable?). The process is easy, send us your logo and we'll handle the rest.



METAL ENGRAVING

If you are looking for something brilliant and a touch more permanent, our engraving service is a great option. Send in your logo and specs and we will construct it to your liking. Popular engraved products include custom wall plates, rack panels, and drop snake boxes like the one we made pictured here to the left.

CUSTOM SHOP WORK

In addition to our standard line of cables and snakes, our pride and joy truly stems from the orders we crank out in our custom shop. As the industry continues to evolve, we realize that the word 'standard' does not always apply to every application. Finding the right cable isn't always as easy as picking one up off the shelf, so let us handle those jobs so you can go back to doing yours. Worried about extended lead time for custom work? Guess again. Our tech's can build and ship within days after the order has been placed.



USING THIS CATALOG...

In this catalog you will find a variety of lengths, connectors, and wire options to choose on most of our product line. When it comes to our part numbers for ordering or referencing, we follow a simple formula:

(ITEM #) - (LENGTH) - (OPTION CODE/OC)

Each product listed will have its own item number and options listed (if applicable). For example, say you wanted to order the 15' GA-1 instrument cable pictured with one right angle connector? You would use the following formula based on the product's item number and option code:

(GA1) - (15) - (1R)



PREMIUM INSTRUMENT CABLES

ULTIMATE PRO

Product Type: Instrument Cable
 Item #: ULT-(Length)-(Option Code)
 Cable: C.B.I Ultimate 18 Gauge Wire
 Connector Options:
 Neutrik Standard (Straight or Right Angle)
 Neutrik Gold (Straight or Right Angle)
 Neutrik Silent (Straight or Right Angle)
 For players looking for maximum quality, sound, and performance. The Ultimate Pro features CBI 18 Ga wire with a 95% dual spiral shield and Neutrik NP2X. Additional connector options shown to the right.



Connector	OC
Neutrik Std, Right Angle	1R
Neutrik Gold	GOLD
Neutrik Gold, Right Angle	GOLD 1R
Neutrik Silent	SILENT
Neutrik Silent, Right Angle	SILENT 1R

NEUTRIK NP2X



NEUTRIK GOLD



NEUTRIK SILENT




PRISM SERIES

Product Type: Instrument Cable
 Item #: PN-(Length)-(Option Code)
 Cable: C.B.I 20 Gauge Wire
 Connector Options:
 Neutrik/Rean 1/4" Connectors
 (Straight or Right Angle)
 Often imitated but never duplicated, the Prism is the original cloth overbraid instrument cable. Featuring Neutrik 1/4" connectors and a wide assortment of cloth colors to choose from. Built for performance, the Prism is a durable yet flexible cable that is resistant to kinks and fray.



Option	OC
Neutrik/Rean, Right Angle	1R
Double 'Whisper' Heat Shrink Ends	W



GOLD RUSH SERIES

Product Type: Instrument Cable
 Item #: GR-(Length)-(Option Code)
 Cable: C.B.I 20 Gauge Wire
 Connector Options:
 Neutrik/Rean Gold 1/4" Connectors
 (CBI Exclusive)
 (Straight or Right Angle)
 A combination of durability, performance and style under one jacket. Gold Rush features Neutrik Gold 1/4" Connectors providing increased connectivity and corrosion resistance. The stunning black and gold cloth jacketing gives uncompromised protection and flexibility.



Option	OC
Gold Plated, Right Angle	1R
Double 'Whisper' Heat Shrink Ends	W



ROCK SERIES

Product Type: Instrument Cable
 Item #: ROCK-(Length)-(Option Code)
 Cable: C.B.I 20 Gauge Wire
 Connector Options:
 Neutrik/Rean 1/4" Connectors
 As its name implies, The Rock is a solid cable for any player. Available in various colors and styles that utilize our signature 'Rock-Mesh' jacketing. Rock Instrument cables are a fantastic choice any player can roll with.



Option	OC
Neutrik/Rean, Right Angle	1R
Double 'Whisper' Heat Shrink Ends	W



INSTRUMENT CABLES



GA1

Product Type: Instrument Cable
Item #: GA1-(Length)-(Option Code)
Cable: C.B.I 20 Gauge Wire
Connector Options:
1/4" Connectors
(Straight or Right Angle)

OUR BEST SELLING INSTRUMENT CABLE,
PROUDLY ASSEMBLED IN AMERICA.

Option	OC
Right Angle Upgrade	1R
'Whisper' Heat Shrink Ends	W



Model	Item #	Connector
GA1 Neutrik	GA1-(Length)-OC	Neutrik/Rean
GA1 Neutrik Gold	GA1G-(Length)-OC	Neutrik Gold
GA1 Neutrik NP2X	GA1NPX-(Length)-OC	Neutrik NP2X
GA1 SwitchCraft	GA1S-(Length)-OC	SwitchCraft
GA1 G&H	GA1B-(Length)-OC	G&H ShowSavers



WHISSPER

Product Type: Instrument Cable
Item #: W-(Length)-(Option Code)
Cable: C.B.I 20 Gauge Wire
Connector Options:
Switchcraft 1/4" Double Heat Shrink
(Straight or Right Angle)



Option	OC
Switchcraft S-226 Right Angle	1R



VINTAGE COIL

Product Type: Instrument Cable
Item #: COIL
Cable: C.B.I 20 Gauge Wire
Connectors:
Neutrik/Rean 1/4" Connectors
(Straight or Right Angle)
Gold 1/4" Connectors
(Straight or Right Angle)



Option	OC
Gold Neutrik/Rean Straight	G
Neutrik/Rean, Right Angle	1R

MIDI

Product Type: Instrument Cable
Item #: MIDI-(Length)-(Option Code)
Cable: C.B.I ML2 24 Gauge Wire
Connectors:
Neutrik 5 Pin Din Male
(3 Pins Wired Standard)
(Straight or Right Angle)




Option	OC
5 Pin Wired	MIDIQ
5 Pin Male Right Angle	1R

ACCESSORIES

LIVEWINDER

Product Type: Instrument Cable Snake
Item #: Livewinder-20
Cable: 4 Channel Multi-Pair Audio
Connectors:
Neutrik Gold 1/4" Straight
Neutrik Gold 1/4" Right Angle
The most recent addition to our instrument cable line. The LiveWinder is a 4 channel instrument cable snake solution designed to connect your entire guitar rig under one jacket. Connect your inline pedals, effects loop, and footswitch to cut down on set up time, reduce clutter and improve your on stage appearance.



FEATURES MULTI-PAIR AUDIO CABLE FOR DURABILITY & NOISE FREE PERFORMANCE

PEDAL PATCH CABLES

Product Type: Instrument Cable
Item #: RA-(Length)
Cable: C.B.I 20 Gauge Wire
Connectors:
C-228 "Pancake" Flat Style Right Angles



DIRECT INPUT BOX

Product Type: Instrument Accessory
Item #: DBGL
Connectors:
1/4" Input, Direct 1/4" Out, Male XLR Iso Output
Description:
14 Gauge Steel Box w/ Powder Coat
Ground Lift Switch Included



Item #	Description
DBGL	Direct Box w/ Ground Lift
DBGL-JT	Direct Box w/ Ground Lift & Jensen Trans.

SPLITTER BOX

Product Type: Instrument Accessory
Item #: SPLITTER
Connectors:
One Female XLR to Two Male XLR Output
Description:
14 Gauge Steel Box w/ Powder Coat
Ground Lift Switch Included



Item #	Description
SPLITTER	XLR Splitter Box
SPLITTER-JT	Splitter W/ Jensen Trans.

COMBINER BOX

Product Type: Instrument Accessory
Item #: COMBINER
Connectors:
Two Female XLR to One Male XLR Output
Description:
14 Gauge Steel Box w/ Powder Coat
Ground Lift Switch Included



Item #	Description
COMBINER	XLR Combiner Box

SPECIALTY

PHONE & LAPTOP CABLES

Product Type: Phone & Laptop Cables
Cable: C.B.I 20-24 Gauge Wire



HEADPHONE EXTENSION

Product Type: Phone & Laptop Cables
Cable: C.B.I 20-24 Gauge Wire



**EXTENDED BARREL DESIGN FITS
ANY CASE OR COVER**



Model	Description
BLAM-3	1/8" TRS Male to 1/4" TRS Male
BLMM-3	1/8" TRS Male Both Ends
SNG-3	1/4" Male T&R Summed to 1/4" Mono
SNGM-3	1/8" Male T&R Summed to 1/4" Mono
SNGMX-3	1/8" Male T&R Summed to Male XLR
GA4-3	1/8" Mono Male to 1/4" Male
GA4M-3	1/8" Mono Male Both Ends


Model	Description
HX-3	1/4" Male to 1/4" Female TRS
HXN-3	1/4" Male to 1/4" Locking Female TRS
HX103-3	1/8" Male to 1/4" Female TRS
HX104-3	1/4" Male to 1/8" Female TRS
HXMM-3	1/8" Male to 1/8" Female TRS

Y-CABLES

Single	To Dual	Model-Length
Male 1/8" TRS	Male 1/4" Mono	MY501-1
Male 1/8" TRS	Male RCA	MY505-1
Male 1/8" TRS	Male XLR, Insert	MY507S-1
Male 1/8" TRS	Female 1/8" TRS	MY512-1
Male 1/4"	Male 1/4"	YM201-1
Male 1/4"	Female 1/4"	YM202-1
Male 1/4"	Male RCA	YM205-1
Female 1/4"	Male RCA	YM207-1
Male 1/4" TRS	Male 1/4" Mono	YS301-1
Male 1/4" TRS	Female 1/4" Mono	YS302-1
Female 1/4" TRS	Male 1/4" Mono	YS303-1
Male 1/4" TRS	Male RCA	YS309-1
Male 1/4" TRS	Male XLR, Bal.	YS311B-1
Male 1/4" TRS	Male XLR, Insert	YS311S-1
Male 1/4" TRS	M + F XLR, Insert	YS313S-1
Male XLR	Male XLR	YX401-1
Male XLR	Female XLR	YX402-1
Female XLR	Male XLR	YX403-1
Female XLR	Female XLR	YX404-1
Male + Fem XLR	Male + Fem XLR	ZX-1

**COMMON CONFIGURATIONS LISTED, CALL
FOR MORE OPTIONS**

BUILT TO ANY LENGTH



SPECIAL CONSTRUCTION Y-CABLES

Model	Description
SGY10+5	Stereo Guitar Y Cable
ISY501-10	Pro 1/8" TRS to (2) 1/4" Male, Single Wire, 1ft Fan
ISY505-10	Pro 1/8" TRS to (2) RCA Male, Single Wire, 1ft Fan

ECONOMY CABLES

CB2 SOLUTIONS

Finding yourself In a pinch and need an adapter or connector?
We've all been there, and thanks to CB2 Solutions you never have to worry about finding the missing component again. For a full list of all CB2 Solutions (And there are a lot), just visit CBICables.com or head on down to your nearest CBI retailer.

Model	Description
CB2-2RR-10	Dual RCA-RCA 10ft
CB2-2RR-6	Dual RCA-RCA 6ft
CB2-402	XLR Y – M to 2F
CB2-403	XLR Y – F to 2M
CB2-505-6	Insert 1) 3.5mm 2) RCA
CB2-507	3.5mm M to dual 3.5mm F
CB2-8RA	8 pk RA patch
CB2-AN421	XLR Male to Male
CB2-AN422	XLR Fem to Fem
CB2-AN423	XLR Male to TRS
CB2-AN424	XLR Fem to TRS
CB2-C103	M 1/8" to F 1/4"
CB2-C104	M 1/4" to F 1/8"
CB2-C184	Jumbo 1/4" Male
CB2-C345	M 1/4" to F RCA

Model	Description
CB2-NYS236	1/4" female coupler
CB2-CBLMM-6	3.5mm to 3.5mm 5 ft
CB2-CMDP	Banana Spkr Plug
CB2-CTV8	Velcro Ties 4 pk
CB2-CXLRF-B	XLR Female black
CB2-CXLRM-B	XLR Male black
CB2-LTC	H-L transformer
CB2-MIC-S	Mic Clip, Slip-On
CB2-MIDI-10	MIDI 10 ft
CB2-NA4LJX	F 1/4" to NL4FX adapter
CB2-NYS224	Neutrik ¼ Male TS
CB2-NYS228	Neutrik ¼ Male TRS
CB2-PSC16-6	Molded IEC F to Edison M
CB2-QQ-10	Molded instrument 10 ft
CB2-Z7-1	Fem 1/4" to MDP 1ft



INSTRUMENT

Product Type: Economy
Instrument Cable
Item #: A-(Length)
Cable: 24 Gauge Instrument
Cable Connectors:
Nickel 1/4" Connectors



SPEAKER

Product Type: Economy
Speaker Cable
Item #: SRB16-(Length)
Cable: 16 Gauge Speaker
Connectors: Nickel 1/4"
Connectors



MICROPHONE

Product Type: Economy
Microphone Cable
Item #: MLC-20
Available in 20'
Length Only
Cable: 24 Gauge Cable
Connectors: Metal XLR's




DMX

Product Type: Economy
DMX Cables
Item #: DMX(3 or 5 Pin)
C-(Length)
Cable: DMX Wire
Connectors: 3 or 5 Pin XLR



LINE AUDIO



1/4" TRS TO 1/4" TRS
(BLA/BLUA)



1/4" TO FEMALE XLR
(BLB/BLUB)



1/4" TO MALE XLR
(BLC/BLUC)



ULTIMATE BALANCED LINE

Product Type: Balanced Line Cable
Item #: BLU(Option Code)-(Length)
Cable: C.B.I Ultimate 20 Gauge Wire
Connector Options:
1/4" Male TRS
Neutrik XX Series Nickel XLR (Male or Female)

Connectors	Item#
1/4" to 1/4" TRS	BLUA
1/4" to Female XLR	BLUB
1/4" to Male XLR	BLUC

PERFORMER BALANCED LINE

Product Type: Balanced Line Cable
Item #: BL(Option Code)-(Length)
Cable: C.B.I 22 Gauge Wire
Connector Options:
1/4" Male TRS
Neutrik XX Series Nickel XLR (Male or Female)

Connectors	Item#
1/4" to 1/4" TRS	BLA
1/4" to Female XLR	BLB
1/4" to Male XLR	BLC



UNBALANCED LINE

Product Type: Unbalanced Line Cable
Item #: See Chart
Cable: CBI 20 Gauge Wire
Connector Options:
RCA
1/4" Male TS
Neutrik XX Series Nickel XLR (Male or Female)

Connectors	Item#
1/4" to Male XLR	MHVM
1/4" to Female XLR	MHV
RCA to Male XLR	GA5MV
RCA to Female XLR	GA5FV
RCA to 1/4"	GA5
RCA to RCA	GA5P

PIN #2 ON XLR CONNECTORS WIRED HOT

MICROPHONE

STANDARD CONNECTORS

STANDARD CONNECTORS		CONNECTOR OPTIONS FOR: MLN, MLU, MLNQ					
NC3MXX	NC3FXX	NC3MRX	NC3FRX	NC3MXX-BAG	NC3FXX-BAG	NC3MXX-B	NC3FXX-B
							
Nickel Male XLR	Nickel Female XLR	Nickel Male XLR Right Angle	Nickel Female XLR Right Angle	Black Male XLR Silver Contacts	Black Female XLR Silver Contacts	Black Male XLR Gold Contacts	Black Female XLR Gold Contacts

MICROPHONE CABLES

(Item#)-(Length)-(Option Code)

CBI Microphone cables are used daily on stages and in recording studios all over the world because of their durability, flexibility, and sound. We offer an array of different cables to suit any needs. Not sure which Mic cable to choose? See the chart below for a description and specs of each cable.

Product	Description	Item #	Wire	Connector
Ultimate	Best For Durability	MLU	CBI Ultimate 20 Ga	Neutrik XX Series
Performer	Best In Flexibility	MLN	22 Ga	Neutrik XX Series
Studio Quad	Best In Sound	MLNQ	Studio Quad 4x24 Ga	Neutrik XX Series
Artist Series	Quality And Affordability	ML2	24 Ga	Black Metal XLR



ASSORTED COLORS AVAILABLE FOR ML2, CALL FOR CURRENT STOCK

MLU, MLN, MLNQ CONNECTOR OPTIONS

Connector Option	OC
Black w/ Silver Contacts	BAG
Black w/ Gold Contacts	GOLD

HIGH IMPEDANCE CABLE

Product Type: Professional High Impedance

Item #: MH(Option Code)-(Length)

Cable: C.B.I 20 Gauge Wire

Connectors: Neutrik Female XLR to Male 1/4" Pin 3 Hot

Connector Option	Item #
Amphenol 4 Pin	MHA4
Switchcraft 2501F Screw	MS



LOW-HIGH ADAPTER

Product Type: Instrument Accessory

Item #: LTC

Description:

Standard solid body adapter

Low to high impedance matching transformer

Balanced female XLR to 1/4" Mono



SPEAKER

		SPEAKER CABLE CONNECTOR OPTIONS																	
		NYS224	NYS225	CMDP	NL4FX														
																			
		1/4" Connector	1/4" Jumbo	Banana Plug	Speak-ON														
1/4" SPEAKER, 16 GA		1/4" SPEAKER, 14 GA		1/4" SPEAKER, 12 GA															
Product Type: Speaker Cable		Product Type: Speaker Cable		Product Type: Speaker Cable															
Item #: SC16-(Length)		Item #: SC14-(Length)		Item #: SC12-(Length)															
Cable: 16 Gauge (Blue Stripe)		Cable: 14 Gauge (Yellow Stripe)		Cable: 12 Gauge (White Stripe)															
Connectors:		Connectors:		Connectors:															
Neutrik/Rean 1/4" Nickel		Neutrik/Rean Jumbo 1/4" Nickel		Neutrik/Rean Jumbo 1/4" Nickel															
																			
<table><tr><th>Option</th><th>OC</th></tr><tr><td>Banana Plug</td><td>1M</td></tr></table>		Option	OC	Banana Plug	1M	<table><tr><th>Option</th><th>OC</th></tr><tr><td>Banana Plug</td><td>1M</td></tr></table>		Option	OC	Banana Plug	1M	<table><tr><th>Option</th><th>OC</th></tr><tr><td>Banana Plug</td><td>1M</td></tr></table>		Option	OC	Banana Plug	1M		
Option	OC																		
Banana Plug	1M																		
Option	OC																		
Banana Plug	1M																		
Option	OC																		
Banana Plug	1M																		
SPEAKON 2 POLE, 16 GA		SPEAKON 2 POLE, 14 GA		SPEAKON 2 POLE, 12 GA															
Product Type: Speaker Cable		Product Type: Speaker Cable		Product Type: Speaker Cable															
Item #: SNN162-(Length)		Item #: SNN142-(Length)		Item #: SNN122-(Length)															
Cable: 16 Gauge (Blue Stripe)		Cable: 14 Gauge (Yellow Stripe)		Cable: 12 Gauge (White Stripe)															
Connectors:		Connectors:		Connectors:															
Neutrik SpeakON NL4FX (Wired 1+/-)		Neutrik SpeakON NL4FX (Wired 1+/-)		Neutrik SpeakON NL4FX (Wired 1+/-)															
																			
<table><tr><th>Option</th><th>Item #</th></tr><tr><td>1/4"</td><td>SNNQ162</td></tr></table>		Option	Item #	1/4"	SNNQ162	<table><tr><th>Option</th><th>Item #</th></tr><tr><td>Jumbo 1/4"</td><td>SNNQ142</td></tr></table>		Option	Item #	Jumbo 1/4"	SNNQ142	<table><tr><th>Option</th><th>Item #</th></tr><tr><td>Jumbo 1/4"</td><td>SNNQ122</td></tr></table>		Option	Item #	Jumbo 1/4"	SNNQ122		
Option	Item #																		
1/4"	SNNQ162																		
Option	Item #																		
Jumbo 1/4"	SNNQ142																		
Option	Item #																		
Jumbo 1/4"	SNNQ122																		

SPEAKER

SPEAKON 4 POLE, 12 GA

Product Type: Professional Speaker Cable
 Item #: SNN(OC)124-(Length)
 Cable: 12 Gauge, 4 Pole MCS-124 Flexible, Heavy Duty
 Connectors:
 Neutrik SpeakON NL4FX (Wire 1+1-/2+2-)
 SpeakON NL4FX to Double Banana Plugs (1 ft Fan)
 SpeakON NL4FX to Double 1/4" Plugs (1 ft Fan)
 Amphenol EP Series (Comes standard on cable)
 Neutrik NLT Series



Option	OC
Double Banana Plugs	P
Double 1/4" Plugs	Q
Amphenol EP Series	EP4

SPEAKON 8 POLE, 12 GA

Product Type: Professional Speaker Cable
 Item #: SNN(OC)128-(Length)
 Cable: 12 Gauge, 8 Pole MCS-128 Flexible, Heavy Duty
 Connectors:
 *Neutrik SpeakON NL8FC Connectors
 (4) Neutrik SpeakON NL4FX (Wire 1+1-/2+2-)
 (4) 1/4" Plug
 Amphenol EP Series (Comes standard on cable)
 Neutrik NLT Series



Option	OC
1/4" Connector	Q
SpeakON NL4FX	Y4
Amphenol EP Series	EP8

POWER & AUDIO COMBINED

Product Type: Power & Audio Combined
 Item #: MTPA
 Cable: 14/3 Shielded & Jacketed Power Group
 One or Two 24 Ga Shielded Audio Pairs
 Connector Options:
 PowerCON, Edison, IEC, TRUE1 and/or XLR's

Item #	Description
MTPA-1X-E-IEC	Single XLR w/ Male Edison to IEC
MTPA-1X-E-PC	Single XLR w/ Male Edison to Blue PowerCON
MTPA-1X-E-T1	Single XLR w/ Male Edison to Female TRUE1
MTPA-2X-E-IEC	Double XLR w/ Male Edison to IEC
MTPA-2X-E-PC	Double XLR w/ Male Edison to Blue PowerCON
MTPA-2X-E-T1	Double XLR w/ Male Edison to Female TRUE1



BANANA TO 1/4"

Product Type: Speaker Adapter
 Item #: Z7-(Length)
 Cable: C.B.I 16, 14 or 12 Ga Power Series
 Jumbo Female 1/4" to C-MDP Banana Plug
 *1 ft Standard



SPEAKON TO 1/4"

Product Type: Speaker Solid Adapter
 Item #: BC-NA4LJX
 Solid Body Adapter
 Converts: Female 1/4" to NL4FX



SPEAKON TO 1/4"

Product Type: Speaker Adapter
 Item #: SNNZ-(Length)
 Cable: C.B.I 16 Ga Power Series Wire
 Jumbo Female 1/4" to NL2FX




FAN TO FAN SNAKES

CBI FAN LENGTH GUIDE

Total Channels	2	4	6	8	12	16 - 24	28 - 32	40 - 64
Fan Length	4"	6"	8"	12"	18"	24"	36"	48"

AUDIO FAN SNAKE

Product Type: Fan to Fan Audio Snake
Item #: MT(# of Channels)(OC)-Length Example: MT8XX-20
Cable: C.B.I/Belden Individually-Shielded Multipair Wire
Connector Options:
Neutrik 3 Pin XLR, Nickel housing and silver contacts
Neutrik/Rean 1/4" plug TRS
Neutrik/Rean 1/4" plug TS
Neutrik/Rean RCA, Nickel plated shell and contacts
*Alternate colors of heat shrink available for customization
*Contrasting numbers covered with clear heat shrink on fanout
Audio fan snakes can be configured up to 64 channels with any choice of connectors. Color coded heat shrink and label options provide easy identification while our individually shielded multi-pair wire provides long lasting durability and audiophile performance.



Description	OC
1/4" TRS to 1/4" TRS	BLA
1/4" TRS to Female XLR	BLB
1/4" TRS to Male XLR	BLC
Female XLR to Male XLR	XX
1/4" TS to 1/4" TS	QQ
RCA Male to 1/4" TS	RQ
RCA Male to RCA Male	RR

DRUM SNAKE

Product Type: Box to Fan Drum Snake
Item #: Drum-10/50
A popular choice among drum techs, CBI Drum Snakes feature 12 channels and a 50 foot main extending from a 4 channel box. Provides a convenient solution to reach drum mics across large stages.



AES FAN SNAKE

Product Type: AES Snake
Item #: MT(# of Channels)(OC)-AES-Length
Example: MT8XX-AES-20
Cable: C.B.I 110 ohm, AES/EBU Digital Snake Wire
Connector Options:
Comes Standard with Neutrik Gold XLR's
Choose this snake for sending AES digital signals. Available in either 8 or 16 channel configurations, this cable features 110 ohm digital wire. Black and gold Neutrik XLR connectors come standard.



FAN TO BOX SNAKES

PERFORMER SERIES SNAKE

Product Type: Box to Fan Audio Snake

Item #: MC - (A or B) (# of Channels) - (# of Inputs, # of Returns) - (Connector Config.) - Length

Cable: C.B.I MPA Series Multipair Individually-Shielded Wire

Connector Options:

MCA - Neutrik DL Series, Locking Panel Mounted 3 Pin XLR (Male or Female)
Neutrik XX Series, Cable Mounted 3 Pin XLR (Male or Female)
1/4" Connectors, Panel Mount or Cable Mount (Male or Female)

MCB - Neutrik Black Plastic, Non-Locking Panel
Mounted 3 Pin XLR (Male or Female)
Black, Cable Mounted 3 Pin XLR (Male or Female)

Product Information:

A traditional analog solution for any rig. CBI Performers feature the highest level of quality in construction and performance. Individually shielded multi-pair wire ensures clean and noise free operation while the 14/16 Ga powder coated stage box provides long lasting durability for years of use.

PERFORMER POWERED MIXER


Product Type: APS Powered Mixer Snake

Item #: APS1624

Product Information:

Speaker and Audio channels in a single box-fan snake. Designed for smaller powered-mixers. Same construction as our B-Series, handmade and tested in the USA. Features 16 Inputs, 4 returns, and 2 speaker sends.

Returns Option	OC
XLR	X
1/4"	Q



DROP SNAKE

Product Type: Box to Fan Drop Snake

Item #: DROP(# of Channels)-(# of Inputs, # of Returns)-Length

Cable: C.B.I MPA Series Multipair Individually-Shielded Wire

Connectors:

Neutrik DL Series, Panel Mounted 3 Pin XLR (Male or Female)

Neutrik XX Series, Cable Mounted 3 Pin XLR (Male or Female)

*Connectors can be Locking or Non-Locking

Low profile stage boxes for flexible placement. Drop Snakes come standard with Neutrik XLR connectors and are available in 4, 6, 8, and 12 channel configurations. Multi-pin disconnects are also available for great flexibility.



SPLITTER SNAKES

THE EAR SPLITTER

Product Type: Rack Mounted Splitter Snake
Item #: ES(# of Channels)-[Trunk 1 Length/Trunk 2 Length]-(OC) Example: ES20-1604X-150

In ear monitor systems have become common place on almost every stage, making signal splitting snakes an essential component for most production rigs. For engineers needing a simple yet powerful solution, for splitting signal, the CBI EarSplitter performs like a pro.

Option	OC
Ground Lift Switches	GL
Isolation Transformers	T



AN ESSENTIAL COMPONENT FOR TOURING IN EAR MONITOR SYSTEMS

STAR PERFORMER

Product Type: Professional 40-64 Channel Systems
Item #: SP

The flagship of the CBI touring system line. The CBI Star Performer is a custom built system that utilizes multi-pin disconnects for splitting signals to various feeds. Available in 40-64 channel configurations and features 14 gauge rolled steel boxes with a powder coat finish. An array of options make the Star Performer our most customizable snake to suit the needs of any sound engineer.

GROUND LIFTS AND ISOLATION TRANSFORMERS AVAILABLE ON EACH CHANNEL



PIG BAGS



ROCK MESH OVERBRAID



CUSTOM ROAD CASES


POPULAR CONFIGURATIONS

Item #	Description
SPR48/40-200/50 GLT3M150	40X8 200' Main 50' Monitor Splits, Ground lifts, Transformers M150
SPR48/40-200/50 GLT3M176	40X8 200' Main 50' Monitor Splits, Ground lifts, Transformers M176
SPR56/48-200/50 GLT3M176	48X8 200' Main 50' Monitor Splits, Ground lifts, Transformers M176
SPR64/56-200/50 GLT3M201	56X8 200' Main 50' Monitor Splits, Ground lifts, Transformers M201

MULTI-PIN AUDIO

RACK BOXES

Product Type: Multipin Disconnect Rack Boxes



Option	OC
Ground Lift Switches	GL
Isolation Transformers	T

Channels	Single Output
32	SPR32-1M150M
40	SPR40-1M150M
48	SPR48-1M150M
48	SPR48-1M176O
56	SPR56-1M176O
64	SPR64-1M201M

Channels	Double Output
32	SPR32-2M150M
40	SPR40-2M150M
48	SPR48-2M150M
48	SPR48-2M176O
56	SPR56-2M176O
64	SPR64-2M201MGL

TRUNKS

Product Type: Multipin Disconnect Trunks



Channels	Item #
6	MT6-M39MF
8	MT8-M39MF
12	MT12-M39MF
16	MT16-M61MF
20	MT20-M61MF
24	MT24-M85MF
28	MT28-M85MF

Channels	Item #
32	MT32-M150MF
40	MT40-M150MF
48	MT48-M150MF
48	MT48-M176IO
56	MT56-M176IO
64	MT64-M201MF

WHIPS

Product Type: Multipin Disconnect Whips



Channels	Item #
6	MT6-M39F-MX
8	MT8-M39F-MX
12	MT12-M39F-MX
16	MT16-M61F-MX
20	MT20-M61F-MX
24	MT24-M85F-MX
28	MT28-M85F-MX

Channels	Item #
32	MT32-M150F-MX
40	MT40-M150F-MX
48	MT48-M150F-MX
48	MT48-M176I-MX
56	MT56-M176I-MX
64	MT64-M201F-MX

DROP BOXES

Product Type: Multipin Disconnect Drop Boxes
(Panel Male Multi-Pin Standard)



Channels	Item #
6	DROP6-M39M
8	DROP8-M39M
12	DROP12-M39M
16	MCA16-M61M
20	MCA20-M61M
24	MCA24-M85M
28	MCA28-M85M

STUDIO & RECORDING

ANALOG 25 PIN

Product Type: Analog D Subs

Item #: DS(OC)-(Length)

Cable: C.B.I.'s Studio Quality Multipair 100% Shielded Wire

Connector Options:

AMP Solid Metal 25 Pin D-Sub Male with Gold Pins

Neutrik 1/4" Male TRS

Neutrik 3 Pin XLR's (Male or Female)



Option	Description
DS	8 TRS 1/4" to 25 Pin
DSMX	8 Male XLR to 25 Pin
DSFX	8 Female XLR to 25 Pin

CALL FOR MOGAMI OPTIONS AND AVAILABILITY

DIGITAL 25 PIN

Product Type: Digital D Subs

Item #: DSAES(OC)-(Length)

Cable: C.B.I.'s AES Digital 8 Pair 100% Shielded Wire

Connectors:

AMP Solid Metal 25 Pin D-Sub Male with Gold Pins

Neutrik Gold 3 Pin XLR's (4 Male/4 Female)



Option	Description
DSAES	4 Male & 4 Female XLR to 25 Pin
DSPAES	25 Pin to 25 Pin

CALL FOR MOGAMI OPTIONS AND AVAILABILITY

Description	OC
Tascam/Analog Wiring	T
Yamaha Wiring	Y

SPECIFY WIRING OPTIONS WHEN ORDERING

CUSTOM WIRED PATCH BAYS

Product Type: Patch Bay

Connectors Options:

Neutrik, Switchcraft, Gold Connectors, EDAC Termination, DSub

Product Information:

Built to order and ready to install. Specify full, half, or non-normalling, channel by channel.



Item #	Description
NY-SPP-L1	48 pt. Neutrik 1/4"
NPPA-TT-S	96 pt. Neutrik TT
MA96-10	96 pt. Neutrik TT
MT48-FNX	48 pt. Switchcraft 1/4"

PATCH BAY CABLES

Product Type: Professional Studio Grade Patch Cables

Connector Options:

Neutrik Tiny Telephone Red or Black

Neutrik Military Tip 1/4" TRS

Item Number	Description
TT	Patch Bay Cable with Tiny Telephone
TB	Patch Bay Cable with Military Tip 1/4" TRS



PRESS BOXES

Product Type: Professional Grade Press Boxes

Product Information:

Durable 14/16 ga Steel Boxes, providing independent signals from a single mic source.

Features Neutrik components.



Item #	Description
PBX-12	12 Channel Press Box
PBX-12-GL	12 Channel Press Box with Ground Lifts Toggle Switches
PBX-12-SES	12 Channel Press Box with Sescom Transformers

PROFESSIONAL CABLE TESTERS

ULTIMATE CABLE TESTER RACK

Product Type: Rack Mounted Cable Tester

Item #: TEST-ULT

Product Information:

The Rack Plus Cable Tester is a versatile unit that allows the user to identify the connections within a variety of Professional Audio, Video & Digital Network Cables. This unit can test cables for Continuity, Short Circuits (end to end & between unconnected pins), Open Circuits (end to end & between unconnected pins), Crossed Wires. Adds a wide variety of power cable options.



CONNECTOR TESTING OPTIONS

*DVI	*S-Video MINI DIN 4 pole	*RCA Phono
*HDMI	*Speakon 2,4 & 8 pole	*BNC / HD SDI 50 75Ω RGB
*Firewire 800	*Socapex 7 & 19 Pin	*IEC
*SVGA 15w HD 'd' Type	*Stagepin	*COAX
*Ethercon, RJ45	*Powercon	*L21-30
*Truecon	*Edison	*L6-20
*USB A & B	*3,4 & 5 Pin XLR	

CABLE TESTER RACK

Product Type: Rack Mounted Cable Tester

Item #: TEST-RK

Product Information:

2 rows of 9 LED's corresponding to each of the possible connector pins and one for the screen (or ground) connection. As each pin is activated, the LED's indicate all connections associated with that pin, so that short, open and crossed circuits can be easily found. The LED's also show the possibility of high resistance or leakage connections. 2 LED's indicate a good digital network connection, either Straight through, or Crossed over.



CABLE TESTER PRO 8

Product Type: Large Cable Tester

Item #: TEST-LG

Product Information:

This tester is used daily in our facility. Utilized for audio, lighting and networking. Features single and double ended testing. Now with intermittent fault detection.

CONNECTOR TESTING OPTIONS

- *3, 4 & 5 Pole XLR
- *6.35 mm Jack, stereo or mono
- *3.5mm Jack, stereo or mono
- *4 & 8 Pole Speakon
- *DIN 3, 5 (180°) & 8 Pole
- *MINI DIN 4 Pole
- *RCA Phono
- *B N C
- *RJ45, EtherCon
- *USB A
- *4mm Red & Black
- *4.4mm Bantam, Single or Twin, stereo or mono



SMALL CABLE TESTER

Product Type: Cable Tester

Item #: TEST-SM

Testing Connector Options:

XLR, 1/4 Mono or Stereo, & RCA

Tests for:

Continuity, Short Circuits, Open Circuits, Crossed wires and leakage between wires.

CONNECTOR TESTING OPTIONS

- XLR
- 1/4" Mono or Stereo
- RCA

CAN BE USED AS A REMOTE TEST UNIT FOR PRO 8



INSTALLATION

FLOOR BOXES

Item #	Description
FB2	2 Pre-Punched "D" Holes
FB4	4 Pre-Punched "D" Holes
FB8	8 Pre-Punched "D" Holes
FB12	12 Pre-Punched "D" Holes
FB2-EB	Std. Electrical Box with Knockouts
FB4-EB	Galv. Pour Box with Knockouts
FB8-EB	Galv. Pour Box with Knockouts
FB12-EB	Galv. Pour Box with Knockouts



WALL PLATES

Item #	Gang	Description
WP1-U-SS	1	Stainless Steel
WP2-U-SS	2	Stainless Steel
WP3-U-SS	3	Stainless Steel
WP4-U-SS	4	Stainless Steel
WP1-U-BLK	1	Black Finish
WP2-U-BLK	2	Black Finish
RC-L	-	Large Cabinet Recess Plate
RC-S	-	Small Cabinet Recess Plate



STUD BOXES

Designed to Fit Between 16" Studs
Heavy Duty Steel w/Black Finish, Hinged and Flanged Enclosed Box
Inside Dimensions:
(Large) = 16 7/8" L x 10 11/16" H x 3" Deep
(Small) = 16 7/8" x 5 1/2" x 3" Deep



OUTDOOR AUDIO/VISUAL BOX

Item #	Dimensions
OB-S	Small: 8"H x 6"W x 4"D
OB-M	Medium: 10"H x 8"W x 6"D
OB-L	Large: 12"H x 10"W x 6"D



INSTALLATION CONNECTOR OPTIONS

Option Code	Connector	Description
F	NC3FDL	Female XLR
M	NC3MDL	Male XLR
N	NL4MP	SpeakOn
E	NE8FDP	EtherCon
H	NAHDMI-W	HDMI Pass Through
U	NAUSB-W	USB Pass Through
V	S-EHHD15FF	VGA Pass Through
A	S-EH35MMSSC	3.5MM Solder
B	NBB75DFI	BNC Pass Through
R	NF2D	RCA Female
L	NJ3FP6C	Locking TRS 1/4"
D	DBA	Plugged Hole

CATEGORY DATA CABLE

CAT5 & CAT6 CABLES

Product Type: Category Data

Cable: See Chart for options

Product Information: A variety of data cable and connector options to suit the needs of different applications.

Item #	Description	Connector
CAT5E-ULT	Tactical Cat5E Cable	Neutrik NE8MC
CAT6S-2RB	Shielded Cat6 Cable	Rubber Boots
CAT6S-NE8	Shielded Cat6 Cable	Neutrik NE8MC
CAT6S-IP65	Shielded Cat6 Cable	Neutrik NE8MC6
CAT6A-2RB	Shielded Cat6A Cable	Rubber Boots

DATA CABLE CONNECTOR OPTIONS

NE8MC	NE8MC6	RB
		



FAN DIGITAL SNAKES

Product Type: Data Fan Snake

Cable: See Chart for options

Product Information: Four channels of data under one jacket. Utilized for DMX, video, and other data applications.

Item Number	Description
MT4-CAT5E	4 Channel Cat5E Snake
MT4-CAT6S	4 Channel CAT6 Shielded Snake

FULLY SHIELDED CAT6 NOW AVAILABLE



DATA CABLE REEL

Product Type: Ultimate Tactical CAT5E on Reel

Cable: C.B.I.'s "Ultimate" CAT5E Heavy Duty 100% Shielded Cable

Connectors:

Cable Mounted, Neutrik EtherCON Locking NE8MC

Panel Mounted Passthrough, Neutrik EtherCON Locking NE8FDP

Product Information:

Features panel mount Neutrik EtherCON Locking NE8EDP on the side (See Photo). 275 Ft suggested maximum length. 6 ft data extension cable sold separately.



**THE PERFECT COMPLIMENT TO
THE SHUTTLE SNAKE SYSTEM**



SINGLE BNC

Product Type: Single Coax Cable

Item #: See Chart

Cable: 50 Ohm or 75 Ohm

Connectors: BNC or F Style

Item Number	Description
BNC59	75 Ohm Coaxial Cable w/ BNC Connector
BNC59S	75 Ohm Coaxial Cable w/ BNC Connector
F59	75 Ohm Coaxial Cable w/ F Style Connector
BNC58	50 Ohm Coaxial Cable w/ BNC Connector
RG8X/U	50 Ohm Coaxial Cable w/ BNC Connector



HD DIGITAL BNC

Product Type: Premium Coax Cable

Item #: See Chart

Cable: Belden 1694A Professional Digital Quality Wire

Connector: Neutrik NBNC 75ohm Digital Broadcast / Video

Item Number	Description
SDI	Belden Solid, Neutrik NBNC
SDI-1694F	Belden Stranded, Neutrik NBNC
SDI-6G	High Def./4K Video Cable
SDI-12G	High Def./4K Video Cable



BELDEN
SENDING ALL THE RIGHT SIGNALS



NEUTRIK

SDI SNAKE

Product Type: Coax Snake

Item #: See Chart

Item Number	Description
RG6HD5	5 Channel Video Snake W/ Neutrik NBNC75BTU11 Connector



NEUTRIK

VIDEO

PROFESSIONAL VGA CABLE

Product Type: Solid Metal 15-Pin DSub

Item #: See Chart

Item Number	Description
VGA	Belden Multi-Coax 15 Pin Male to Male
RGBHV	Belden Multi-Coax 5 BNC Male to Male

BUILT TO ANY LENGTH**MOLDED VGA CABLE**

Product Type: VGA Cable

Item #: See Chart

Item Number	Description
VGAC-25	25' Molded VGA Cable
VGAC-50	50' Molded VGA Cable
VGAC-100	100' Molded VGA Cable
VGAC-150	150' Molded VGA Cable

**MOLDED HDMI CABLE**

Product Type: Economy HDMI Cable

Item #: See Chart

Item Number	Description
HDMI-3-HS	3' HDMI Cable
HDMI-6-1.4-STD	6' HDMI Cable
HDMI-10-1.4-STD	10' HDMI Cable
HDMI-25-1.4-STD	25' HDMI Cable
HDMI-50-1.4-STD	50' HDMI Cable

**HIGH DEFINITION HDMI CABLE**

Item Number	Description
HDMI-10-2.0-HD	High Definition 10' HDMI Cable
HDMI-25-2.0-HD	High Definition 25' HDMI Cable
HDMI-50-2.0-HD	High Definition 50' HDMI Cable
HDMI-100-2.0-HD	High Definition 100' HDMI Cable
BC-NAHDMI-W	Neutrik HDMI Pass Panel Through

DMX LIGHTING

DMX CABLES

Product Type: DMX

Item #: DMX5-Length

Cable: C.B.I DMX Cable

Connector: Neutrik XX Series

Available 3 and 5 pin connector options. CBI DMX cables have become an industry standard for intelligent lighting connectivity. Neutrik XX series connectors come available as standard option. Color Scroller Cables feature a four conductor composite cable consisting of one shielded 22 AWG Data pair and two single 14 AWG conductors, all under an overall PVC jacket. Standard connectors are Neutrik XX series 4 pin black connectors with silver contacts.



Product	Item Number	Description
3 Pin DMX Cable	DMX3-(Length)	3 Pin DMX Cable, Neutrik Nickel XLRs
5 Pin DMX Cable	DMX5-(Length)	5 Pin DMX Cable, Black Neutrik XLRs
Color Scroller Cable	CS-(Length)	Color Scroller, 4 Pin Neutrik Black

WHITE DMX CABLE ALSO AVAILABLE

DMX CABLE ADAPTER

Product Information

DA Adapter Cables - 8" Standard

Same Construction as our Professional DMX Cables

5 Pin is Black, 3 Pin is Nickel

Wired Pin 1, 2, 3 straight through (4 & 5 open on 5 pin)



Item #
DA-3M5F-8IN
DA-3F5M-8IN

SOLID BODY ADAPTER

Product Information:

Converts 3-pin DMX to 5-pin DMX

Connectors: NA Series Neutrik Solid

Body 3 Pin to 5 Pin Adapter



Item #
BC-NA3M5F
BC-NA3F5M

120 OHM TERMINATOR

Product Information:

Terminator is 120 Ω on Male XLR

5 Pin shown, 3 Pin uses Neutrik XLR

Item #
BC-DMX5-TERM
BC-DMX3-TERM



DMX SNAKE

Product Type: Fan to Fan DMX Snake

Item #: MT(# of Channels)-DMX(# of Pins)-Length

Example: MT8-DMX5-20

Cable: C.B.I 24 Ga, Digital Individually-Shielded Wire

Connector Options:

Neutrik 3 Pin XLR, Nickel housing and silver contacts

Neutrik 5 Pin XLR, Black housing and silver contacts

Fan to fan solution running multiple lines of DMX over shielded, multipair wire. Available in 4 or 8 channels and with choice of Neutrik 3 or 5 pin DMX connectors.



DMX OVER DATA CABLE

SHUTTLE SNAKE

Product Type: DMX over CAT5E cable
Item #: SH(3 or 5 pin)-[# of Channels][Gender of Connector]
Cable: C.B.I DMX Cable
Connectors Fan End:
Neutrik XX Series, 3 Pin Nickel XLR (Male or Female)
Neutrik XX Series, 5 Pin Black XLR (Male or Female)
Shuttle Snakes provide a cable solution for running 4 uni-
verses of DMX over a single CAT5 line for maximum flex-
ibility. Available in both 3 or 5 Pin color coded connectors
wired to a RJ45 pass through. Shuttle Snake housing availa-
ble in different options, show below.



Item Number	XLR	Channels
SH3-4M	Male 3 Pin	4
SH3-3M	Male 3 Pin	3
SH3-2M	Male 3 Pin	2
SH5-4M	Male 5 Pin	4
SH5-3M	Male 5 Pin	3
SH5-2M	Male 5 Pin	2

Item Number	XLR	Channels
SH3-4F	Female 3 Pin	4
SH3-3F	Female 3 Pin	3
SH3-2F	Female 3 Pin	2
SH5-4F	Female 5 Pin	4
SH5-3F	Female 5 Pin	3
SH5-2F	Female 5 Pin	2

SHUTTLE RACK

Product Type: Rackmount DMX over CAT5E cable
Item #: RB1-4SH(3 or 5 pin)(# of Channels)(Gender of Connector)
Connector Options:
Neutrik, Panel Mount, 3 Pin Nickel XLR (Male or Female)
Neutrik, Panel Mount, 5 Pin Black XLR (Male or Female)



4 SHUTTLE SNAKES IN ONE CONVENIENT RACK

SHUTTLE BOX

Product Type: Box DMX over CAT5E cable
Item #: SH(3 or 5 pin)-DB-[# of Channels][Gender of Connector]
Connector Options:
Neutrik, Panel Mount, 3 Pin Nickel XLR (Male or Female)
Neutrik, Panel Mount, 5 Pin Black XLR (Male or Female)

Item #	Description
SH3-DB-4M	Shuttle Snake Box, 3 Pin, 4 Male XLR Panel Mount
SH3-DB-4F	Shuttle Snake Box, 3 Pin, 4 Female XLR Panel Mount
SH5-DB-4M	Shuttle Snake Box, 5 Pin, 4 Male XLR Panel Mount
SH5-DB-4F	Shuttle Snake Box, 5 Pin, 4 Female XLR Panel Mount



COMBINATION CABLES

POWER + DMX

Product Type: Power & DMX Combined

Item #: MTPD

Cable: 14/3 Shielded & Jacketed Power Group

Power Connectors Options:

PowerCON, Edison, IEC and TRUE1

XLR Connectors Options:

Neutrik XX Series, 3 Pin Nickel XLR

Neutrik XX Series, 5 Pin Black XLR

POWER + DATA + DMX

Product Type: Power & DMX & Data Combined

Item #: MTPD-C

Cable: 14/3 Shielded & Jacketed Power Group

One or Two 24 Ga Shielded Digital Pairs

One Line of Individual Shield Cat7 Data Cable

Power Connectors Options:

PowerCON, Edison, IEC and TRUE1

XLR Connectors Options:

Neutrik XX Series, 3 Pin Nickel XLR

Neutrik XX Series, 5 Pin Black XLR

Data Connectors Options:

Neutrik NE8MC

Neutrik NE8MC6

Rubber Boots



FULLY SHIELDED MULTI-PAIR WIRE CARRIES MULTIPLE INDIVIDUAL SIGNALS UNDER ONE JACKET

Item Number	Description
MTPD-DMX5-ED-PC	5 Pin XLR w/ Male Edison to PowerCON
MTPD-DMX5-ED-IEC	5 Pin XLR w/ Male Edison to IEC
MTPD-DMX5-PC-PC	5 Pin XLR w/ PowerCON to PowerCON
MTPD-DMX5-PC-IEC	5 Pin XLR w/ PowerCON to IEC
MTPD-DMX5-T1-T1	5 Pin XLR w/ TRUE1 to TRUE1
MTPD-DMX5-T1-IEC	5 Pin XLR w/ TRUE1 to IEC
MTPD-DMX3-ED-PC	3 Pin XLR w/ Male Edison to PowerCON
MTPD-DMX3-ED-IEC	3 Pin XLR w/ Male Edison to IEC
MTPD-DMX3-PC-PC	3 Pin XLR w/ PowerCON to PowerCON
MTPD-DMX3-PC-IEC	3 Pin XLR w/ PowerCON to IEC
MTPD-DMX3-T1-T1	3 Pin XLR w/ TRUE1 to TRUE1
MTPD-DMX3-T1-IEC	3 Pin XLR w/ TRUE1 to IEC
MTPD-C-DMX5-PC-PC	5 Pin XLR + PowerCon + CAT7
MTPC-PC-PC	PowerCon + CAT7

COMMON CONFIGURATIONS LISTED, CALL FOR MORE OPTIONS



POWER + DATA

Product Type: Power & Data Combined

Item #: MTPC

Cable: 14/3 Shielded & Jacketed Power Group

One Line of Individual Shield Cat7 Data Cable

Power Connectors Options:


PowerCON, Edison, IEC and TRUE1

Data Connectors Options:

Neutrik NE8MC

Neutrik NE8MC6

Rubber Boots



MULTI-PIN LIGHTING

19 PIN TRUNK EXTENSION

Product Type: 19 Pin Trunk
Item #: LT[Gauge]/[Conductor]
Cable: C.B.I Professional Lighting Cable
Connectors: C.B.I Blue 19 Pin (Male/Female)

Item #	Description
LT12/14	19 Pin Trunk, 12 Ga, 14 Conductor
LT14/14	19 Pin Trunk, 14 Ga, 14 Conductor
LT16/18	19 Pin Trunk, 16 Ga, 18 Conductor
LT12/19	19 Pin Trunk, 12 Ga, 19 Conductor



COLORING RINGS AVAILABLE



SOCAPLEX COMPATIBLE

19 PIN BREAK OUT

Product Type: 19 Pin Break Out
Item #: LTM-[# of Channels, Connector Type]
Cable: C.B.I SJ 12/3
Male Connector: C.B.I Blue 19 Pin Male "Spider"

Item #	Description
LTM-6FED	Male 19 Pin to 6 Female Edisons
LTM-6FL520	Male 19 Pin to 6 Female L520
LTM-6FL620	Male 19 Pin to 6 Female L620
LTM-6FT1	Male 19 Pin to 6 Female TRUE1
LTM-6PCB	Male 19 Pin to 6 Blue PowerCON
LTM-6FSP	Male 19 Pin to 6 Female Stage Pins



19 PIN BREAK IN

Product Type: 19 Pin Break In
Item #: LTF-[# of Channels, Connector Type]
Cable: C.B.I SJ 12/3
Female Connector: C.B.I Blue 19 Pin Female "Spider"

Item #	Description
LTF-6MED	Female 19 Pin to 6 Male Edisons
LTF-6ML520	Female 19 Pin to 6 Male L520
LTF-6ML620	Female 19 Pin to 6 Male L620
LTF-6MT1	Female 19 Pin to 6 Male TRUE1
LTF-6PCG	Female 19 Pin to 6 Gray PowerCON
LTF-6MSP	Female 19 Pin to 6 Male Stage Pins



MULTI-PIN LIGHTING

19 PIN SPLITTER BOX

Product Information:
Molded rubber box splitting one male
19 Pin Plug to two female 19 pin plugs
Item #: LT19-SPLIT



19 PIN Y SPLITTER

Product Type: 19 Pin Splitter Y Cable
Connectors: C.B.I Blue 19 Pin Male to (2)C.B.I
Blue 19 Pin Female (3' Length Only)
Item #: LT19-2FER



PREWIRED 19 PIN

Product Information:
Wallplate mounted Prewired 19 Pin
Connector for standard 6 circuit connection
Item #: WP2-LT19PMW Or WP2-LT19PFW



MOTOR CONTROL CABLES

Product Type: Motor Control Cables
Item #: MOTC7-Wire Type-Length
Cable: SOOW
Used in a variety of industries where hoists and
other motorized controllers are utilized. Features
SOOW wire in 12/7, 14/7, and 16/7 Ga. 7 Pin
connectors are assembled and terminated to spec
with a 14 pin wiring option also available.

Item Number	Description
MOTC7-12/7	7 Pin Motor Control Cable W/ SOOW 12/7
MOTC7-14/7	7 Pin Motor Control Cable W/ SOOW 14/7
MOTC7-16/7	7 Pin Motor Control Cable W/ SOOW 16/7
MOTC14-16/7	14 Pin Motor Control Cable W/ SOOW 16/7



POWERCON & TRUE1

POWERCON & TRUE1 CABLES

Product Type: PowerCON
Cable: C.B.I 12/3 SJ Wire or C.B.I 14/3 SJ Wire
Connector Options:
Neutrik PowerCON (Blue or Gray)
Neutrik TRUE1 (Male or Female)

Item #	Description
PC12	12 Gauge, PowerCON Blue to PowerCON Gray
PC14	14 Gauge, PowerCON Blue to PowerCON Gray
PC12-SO	12 Gauge Hubbell AC Blue to AC Gray
TRU12	12 Gauge, TRUE1 Male to Female
TRU14	14 Gauge, TRUE1 Male to Female



POWER ADAPTER CABLES

Product Type: Professional Adapter Cables
Item #: Pick one from each table below(Ex. PCG-FT1-SJ12)

MALE CONNECTOR		FEMALE CONNECTOR		WIRE	
Item #	Description	Item #	Description	Item #	Description
PCG	PowerCON Gray	PCB	PowerCON Blue	SO12	12/3 SOOW
MT1	Male TRUE1	FT1	Female TRUE1	SJ12	12/3 SJOOW
ML520	Male L520	FL520	Female L520	SJ14	14/3 SJOOW
ML620	Male L620	FL620	Female L620		
MSP	Male Stage Pin	FSP	Female Stage Pin		
IEP	IEC Plug	IEC	IEC Connector		
MED	Male Edison	FED	Female Edison		



POWERCON QUAD BOX

Product Type: Quad Boxes PowerCON Link
Product Information:
Allow for flexible power placement. Housing two 20 Amp AC duplexes in a rugged rubber shell. These small boxes are linked via PowerCON or TRUE1 cables.

Item #	Description
QB-RPC2D	Rubberized Quad Box w/ PowerCON Blue/Gray Passthrough
QB-RTRU2D	Rubberized Quad Box w/ PowerCON TRUE1 Passthrough



POWERCON OUTLET BOX

Product Type: PowerCON Multi Split Box
Product Information:
split a single line of PowerCON OR TRUE1 into four plus passthrough.(5 Total Outputs)

Item #	Description
QD-PC	Input PC Blue to (4)Output PC Gray
QD-T1	Input TRUE1 to (4)Output PC Gray



PROFESSIONAL POWER CABLES

HARD WIRED QUAD BOXES

Product Type: Quad Boxes

Product Information:

Prewired for 20 amp service with 12 Gauge Black SJOOW wire. Quality Leviton and Hubbell components are used for performance and durability.

Item #	Description
QB-M	Metal Quad Box w/ Hard Wired 12/3 SJOOW
QB-R	Rubberized Quad Box w/ Hard Wired 12/3 SJOOW
QB-RL-SO	Rubberized Quad Box w/ Hard Wired 12/3 SOOW



PROFESSIONAL EXTENSION CORDS

Product Type: Professional NEMA Extension Cords

Cable: C.B.I 12/3 SJ Wire, C.B.I 12/3 SO, May Range from 14 to 8 Ga Wire

Connectors: See Chart



Item #	Description
NED	NED with 12/3 SJOOW
NED-SO12	NED with 12/3 SOOW
NL520	NL520 with 12/3 SJOOW
NL520-SO12	NL520 with 12/3 SOOW
NL620	NL620 with 12/3 SJOOW
NL1430-SJ10	NL1430 with 10/4 SJOOW
NL2130-SO10	NL2130 with 10/5 SOOW
SP20A-SO	Stage Pin 20A with 12/3 SOOW

COMMON CONNECTORS LISTED, CALL FOR MORE OPTIONS

POWER CABLE SPLITTER

Product Type: Power Cable 2FER and 3FER Splits

Product Information:

Offered in both two outlet and three outlet models for splitting power from a single source. Choice of connectors include choice of edison (L520 and L620 most popular), stage pin, or blunt end connectors.

Item #	Description
2FER-MED-2FED	Edison 2FER, 1 Male Edison to (2) Female Edisons
2FER-MSP-2FSP	Stage Pin 2FER, 1 Male Stage Pin to (2) Female Stage Pin
2FER-PCG-2PCB	PowerCON 2FER, 1 PowerCON Grey to (2) PowerCON Blue
2FER-MT1-2FT1	True1 2FER, 1 Male True1 to (2) Female True1
3FER-MED-3FED	Edison 3FER, 1 Male Edison to (3) Female Edisons



MOLDED POWER CABLES

MULTI OUTLET POWER EXTENSION

Product Type: Multi-Outlet Extension Cords
Cable: Molded 12, 14 or 16 Gauge Wire
Each outlet features two braces for hanging placement, debris cover, and lights up blue when powered.

Item #	Description
MOXB12-25	25ft, 12 Ga, 4 Outlet Ext. Cord
MOXB12-50	50ft, 12 Ga, 6 Outlet Ext. Cord
MOXB14-25	25ft, 14 Ga, 3 Outlet Ext. Cord
MOXB16-30	30ft, 16 Ga, 7 Outlet Ext. Cord



MOLDED POWER EXTENSION

Product Type: Molded Extension Cords
Cable: 12/3, 14/3 or 16/3 Extension Cable

Item #	Description
CT12-25B	25ft, 12 Ga, Black Extension Cord
CT12-50B	50ft, 12 Ga, Black Extension Cord
CT12-100B	100ft, 12 Ga, Black Extension Cord
CT14-25B	25ft, 14 Ga, Black Extension Cord
CT14-50B	50ft, 14 Ga, Black Extension Cord



TRIPLE TAP EXTENSION

Product Type: Molded Triple Outlet Extension Cords
Cable: 12/3 or 14/3 Extension Cable

Item #	Description
TRIPT12-25	25ft, 12 Ga, Black Triple Tap Cord
TRIPT14-25	25ft, 14 Ga, Black Triple Tap Cord



LOW PROFILE POWER EXTENSION

Product Type: Flat Extension Cords
Cable: 12/3 Extension Cable

Item #	Description
CT12-FLAT-15	15ft, 12 Ga, Low Profile Extension Cord
CT12-FLAT-25	25ft, 12 Ga, Low Profile Extension Cord
CT12-FLAT-50	50ft, 12 Ga, Low Profile Extension Cord
CT12-FLAT-100	100ft, 12 Ga, Low Profile Extension Cord



POWER ACCESSORIES

RACK MOUNTED SURGE SUPPRESSOR

Product Type:

Rack Mounted Surge Suppressor

Item #: RMSS

Electrical Rating: 15A 125VAC

Housing: Steel w/ Black Coating

Dimensions: 19.00" L x 1.75" H x 2.57" Depth

Type of Receptacle: NEMA 5-15R Duplexes - 6 Total Outlets

Circuit Breaker: Yes (1) 15 AMP

On/Off Switch: Yes (1) Lighted, 15 amp

Cord Type, Length: 14/3 SJT, 6 ft Long, 5-15P Plug

Mounting Type: Rackmount Ears



3 WAY OUTLET SPLITTER

Product Type: 3 Way Splitter

Item #: BC-MOX-T



MOLDED IEC CABLE

Product Type: Molded IEC

Item #: PSC16-6

Cable: Molded 16/3 SVT 300V, 6" Length



MOLDED 2FER CABLE

Product Type: Molded 2FER

Item #: CT-2FER-MED-2FED

Cable: Molded 12/3 STW 600V



CAM CABLES & COMPONENTS

CAM FEEDER EXTENSION

Product Type: CAM Power Distribution
Item #: CX-[Type]-[Gauge]-[Length]-[Color]
Cable Types: W, SC and DLO
Cable Size Options: #8 - 4/0
Most Common: #2, 2/0 and 4/0

Product Information:
Manufactured using various wire and cable types including type "W", type "SC" and type "DLO". Size ranges from #8 to 4/0 single conductor. Cables 25' and over include heavy duty nylon strap with stainless steel ring



COMMON CONFIGURATIONS

Item #	Description
CX-SC-2-(E,R,B,W,G OR SET5)	SC #2 Finished CAM Feeder Cable
CX-SC-2/0-(E,R,B,W,G OR SET5)	SC 2/0 Finished CAM Feeder Cable
CX-SC-4/0-(E,R,B,W,G OR SET5)	SC 4/0 Finished CAM Feeder Cable
CX-DLO-4/0-(E,R,B,W,G OR SET5)	DLO 4/0 Finished CAM Cable

Color Code	CAM Color
E	Black
R	Red
B	Blue
W	White
G	Green
SET5	One of Each

CAM TAILS

Product Type: CAM Power Distribution
* Specify if set is Neutral & Ground reversed
Cable Types: W, SC and DLO
Cable Size Options: #8 - 4/0
Most Common: #2, 2/0 and 4/0



COMMON CONFIGURATIONS

Item #	Description
CT(M or F)-SC-2-(E,R,B,W,G OR SET5)	SC #2 CAM Tails
CT(M or F)-SC-2/0-(E,R,B,W,G OR SET5)	SC 2/0 CAM Tails
CT(M or F)-SC-4/0-(E,R,B,W,G OR SET5)	SC 4/0 CAM Tails

CABLE MOUNTED CONNECTORS

Item #	Description
BC-16D22-*	300A Dbl Set Screw, #2-2/0, Male
BC-16D31-*	300A Dbl Set Screw, #2-2/0, Female
BC-16D24-*	400A Dbl Set Screw, 2/0-4/0, Male
BC-16D33-*	400A Dbl Set Screw, 2/0-4/0, Female
BC-16D21-*	300A Single Set Screw, #2-2/0, Male
BC-16D29-*	300A Single Set Screw, #2-2/0, Female
BC-16D44-*	190A Dbl Set Screw, #6-#2, Male
BC-16D45-*	190A Dbl Set Screw, #6-#2, Female
BC-15D21-*	15 Series "Baby Cam" 125A Male
BC-15D22-*	15 Series "Baby Cam" 125A Female
BC-16P21-*	Male Protective Cover, 16 Series
BC-16P22-*	Female Protective Cover, 16 Series



PANEL MOUNT

Item #	Description
BC-16R21-*	400A Dbl Set Screw, Male Rec
BC-16R22-*	400A Dbl Set Screw, Female Rec
BC-16R23-*	400A Threaded Stud, Male Rec
BC-16R24-*	400A Threaded Stud, Female Rec
BC-16P21-E	Male Black Protective Cover
BC-16P22-E	Female Black Protective Cover

ADAPTERS

Item #	Description
BC-16A21-*	Tee (Female-Male-Male)
BC-16A22-*	Tee (Female-Female-Male)
BC-16A23-*	3 Way (Male-Female-Female-Female)
BC-16A24-*	Coupler (Female-Female)
BC-16A25-*	Coupler (Male -Male)

EIGHT COLORS AVAILABLE

W (White)
E (Black)
H (Brown)
R (Red)
B (Blue)
O (Orange)
G (Green)
Y (Yellow)

Replace * with color code requested.

*Brown, Orange and Yellow CAMS are SPO



PIN & SLEEVE CABLES AVAILABLE

MANUFACTURED USING QUALITY HUBBELL AND LEVITON COMPONENTS

LEVITON POWER CONNECTORS

Item #	Description
BC-2411-B	L14-20 Plug - Black
BC-2413-B	L14-20 Connector - Black
BC-2711-B	L14-30 Plug - Black
BC-2713-B	L14-30 Connector - Black
BC-2715*	L14-30 Flanged Inlet
BC-2716*	L14-30 Flanged Outlet
BC-2516*	L21-20 Flanged Outlet
BC-2811-B	L21-30 Plug - Black
BC-2813-B	L21-30 Connector - Black
BC-9965-C	Non NEMA Plug
BC-7314-C	Non NEMA Connector
BC-CS83-65C*	Non NEMA Plug
BC-CS83-64C*	Non NEMA Connector
BC-SP20LM	Stage Pin 20 amp Line Male
BC-SP20LF	Stage Pin 20 amp Line Female
BC-5266-B	5-15 Plug - Black
BC-5269-B	5-15 Connector - Black
BC-5266-C	5-15 Plug - Black & White
BC-5269-C	5-15 Connector - B & W
BC-5278-C	5-15 Flanged Inlet
BC-5279-C	5-15 Flanged Outlet
BC-5366-B	5-20 Plug - Black
BC-5369-B	5-20 Connector - Black
BC-2311-B	L5-20 Plug - Black
BC-2313-B	L5-20 Connector - Black
BC-2611-B	L5-30 Plug - Black
BC-2613-B	L5-30 Connector - Black
BC-2321-B	L6-20 Plug - Black
BC-2323-B	L6-20 Connector - Black
BC-2325*	L6-20 Flanged Inlet
BC-2326*	L6-20 Flanged Outlet
BC-2621-B*	L6-30 Plug
BC-2623-B*	L6-30 Connector



HUBBELL POWER CONNECTORS

Item #	Description
BC-HBL5266-B	5-15 Plug - Black
BC-HBL5269-B	5-15 Connector - Black
BC-HBL2321-B	L6-20 Plug - Black
BC-HBL2323-B	L6-20 Connector - Black
BC-HBLCPIBL	Blue AC Connector
BC-HBLCPOGY	Grey AC Connector



MULTI-PIN LIGHTING CONNECTORS

Item #	Description
BC-MOTC7PF	7 Pin C.B.I Panel Mount Female
BC-MOTC7PM	7 Pin C.B.I Panel Mount Male
BC-MOTC7LM	7 Pin C.B.I Line Male
BC-MOTC7LF	7 Pin C.B.I Line Female
BC-MOTC14LM	14 Pin C.B.I Line Male
BC-MOTC14LF	14 Pin C.B.I Line Female
BC-CBI19LM	19 Pin C.B.I Line Male
BC-CBI19LF	19 Pin C.B.I Line Female
BC-CBI19SLM	19 Pin C.B.I Spider Line Male
BC-CBI19SLF	19 Pin C.B.I Spider Line Female
BC-CBI19PM	19 Pin C.B.I Panel Male
BC-CBI19PF	19 Pin C.B.I Panel Female



XLR

Item Number	Description
BC-NC3FD-S-1-B	Female XLR, Panel Mount, Black, Gold Contacts
BC-NC3FD-L-1	Female XLR, Locking, Nickel
BC-NC3FD-L-1-BAG	Female XLR, Locking, Black
BC-NC3FP-1	Female XLR, Locking, Nickel, Rectangle
BC-NC3FPP	Female XLR, Non-Locking, Black Plastic
BC-NC3FRX	Female XLR, Right Angle, Nickel
BC-NC3FRX-BAG	Female XLR, Black Right Angle
BC-NC3FX-S	Female XLR, Nickel, Soft Boot, Rotary on/off
BC-NC3FXX	Female XLR, XX Series, Nickel
BC-NC3FXX-B	Female XLR, XX Series, Black, Gold Contacts
BC-NC3FXX-BAG	Female XLR, XX Series, Black
BC-NC3FXX-EMC	Female XLR, EMC-XLR Shield cable connector
BC-NC3MD-S-1-B	Male XLR, Panel Mount, Black, Gold Contacts
BC-NC3MD-L-1	Panel Mount Male XLR, Nickel
BC-NC3MD-L-1-BAG	Panel Mount Male XLR, Black
BC-NC3MD-L-B-1	Panel Mount Male XLR, Black with Gold Contacts
BC-NC3MP	Male XLR, Locking, Nickel, Rectangle
BC-NC3MPP	Panel Mount Male XLR, Black Plastic
BC-NC3MRX	Male XLR, Right Angle, Nickel
BC-NC3MXX	Male XLR, XX Series, Nickel
BC-NC3MXX-B	Male XLR, XX Series, Black, Gold Contacts
BC-NC3MXX-BAG	Male XLR, XX Series, Black
BC-NC3MXX-EMC	Male XLR, Cable Mount, EMC-XLR Shield
BC-NC4FXX-BAG	Female XLR, XX Series, Black
BC-NC4MD-L-1	Panel Mount Male XLR, Nickel
BC-NC4MXX-BAG	Male XLR, XX Series, Black
BC-NC5FD-L-1-BAG	Female XLR, Locking, Black
BC-NC5FXX	Female XLR, XX Series, Nickel
BC-NC5FXX-B	Female XLR, XX Series, Black, Gold Contacts
BC-NC5FXX-BAG	Female XLR, XX Series, Black
BC-NC5MD-L-1-BAG	Panel Mount Male XLR, Black
BC-NC5MXX	Male XLR, XX Series, Nickel
BC-NC5MXX-B	Male XLR, XX Series, Black, Gold Contacts
BC-NC5MXX-BAG	Male XLR, XX Series, Black
BC-NCJ6FI-S	Female XLR / Female TRS 1/4", Locking Combo

Item Number	Description
BC-NC3MXX-D	Male XLR, XX Series, Nickel, Disassembled
BC-NC3FXX-D	Male XLR, XX Series, Nickel, Disassembled

NYS SERIES

Item Number	Description
BC-NYS208	Male 1/4" TRS Right Angle
BC-NYS207	1/4" Right Angle Nickel with Plastic Right boot
BC-NYS2202	Female 1/4" Mono, Thick Panel
BC-NYS220/3	Female 1/4" TRS, Thick Panel
BC-NYS221	Female 1/4" Mono, Thick Panel Strap Ring
BC-NYS224	Male 1/4", Nickel
BC-NYS224L	Male 1/4", Nickel, Large Hole, 8mm OD
BC-NYS225	Male 1/4", Nickel, Jumbo
BC-NYS228	Male TRS 1/4" , Nickel
BC-NYS229	Female Mono 1/4" Panel, Standard
BC-NYS229L	Female Mono 1/4" Panel, .375" Bushing
BC-NYS230	Female 1/4" TRS, Thick Panel
BC-NYS231	Male TRS 3.5mm (1/8") Mini Cable Mt, Nickel
BC-NYS236	1/4" Female TS-Mono Female Coupler
BC-NYS237	1/4" Male TS-Mono Male Coupler
BC-NYS238	TRSF/TRSF Coupler
BC-NYS240	Female 3.5mm TRS Metal
BC-NYS322	Male 5 Pin Din w/Clamp, Metal Housing
BC-NYS352	Male RCA, Nickel
BC-NYS373	Phono Plug, Black, Gold Contacts
BC-NYS2202P	Female TS-Mono Cable Connector
BC-NYS2203P	Female TRS Cable Connector



NEUTRIK®



SPEAKON

Item Number	Description
BC-NA4LJX	Adapter - Speakon NL4FX to Female 1/4"
BC-NL2FX	2 Pole Female Cable Mount
BC-NL2MP	2 Pole Square Flange Male Panel
BC-NL4FC	4 Pole Female Cable Mount
BC-NL4FRX	4 Pole Female Cable Mount, Right Angle
BC-NL4FX	4 Pole Female Cable Mount
BC-NL4MMX	4 Pole Male to Male Coupler, Double Locking
BC-NL4MP	4 Pole Square Flange Male Panel
BC-NL4MPR	4 Pole Round Flange Male Panel
BC-NL8FC	8 Pole Female Cable Mount
BC-NL8MM	8 Pole Male to Male Coupler
BC-NL8MPR	8 Pole Square Flange Male Panel, Nickel
BC-NLT4FX	4 Pole Female Cable Mount STX (call for black)
BC-NLT4MP	4 pole Male Chassis, Metal, Solder or ¼" flat tabs
BC-NLT4MP-BAG	4 pole Male Chassis, Black Metal, Solder or ¼" flat tabs
BC-NLT4MX	4 Pole Male Cable Mount STX
BC-NLT8FX	8-pole Female Cable, Nickel, Chuck Type Strain Relief
BC-NLT8MP	8-pole Male Chassis, Nickel, Solder or ¼" flat tabs

1/4" CONNECTORS

Item Number	Description
BC-NP2X	1/4" Pro Phone Plug, Nickel Tip, Nickel Shell
BC-NP2RX	1/4" Pro Right Angle, Nickel Tip, Nickel Shell
BC-NP2X-BAG	1/4" Pro Phone Plug, Nickel Tip, Black Shell
BC-NP2RX-BAG	1/4" Pro Right Angle, Nickel Tip, Black Shell
BC-NP2X-B	1/4" Pro Phone Plug, Gold Tip, Black Shell
BC-NP2RX-B	1/4" Pro Right Angle, Gold Tip, Black shell
BC-NP2X-AU-SILENT	1/4" Pro Phone Plug, Gold Tip, Silent Switch
BC-NP2RX-AU-SILENT	1/4" Pro Right Angle, Gold Tip, Silent Switch
BC-NP3X	1/4" TRS Pro Phone Plug, Nickel Tip, Nickel Shell
BC-NP3RX	1/4" TRS Pro Right Angle, Nickel Tip, Nickel Shell
BC-NP3X-BAG	1/4" TRS Pro Phone Plug, Nickel Tip, Black Shell
BC-NP3RX-BAG	1/4" TRS Pro Right Angle, Nickel Tip, Black Shell
BC-NP3X-B	1/4" TRS Pro Phone Plug, Gold Tip, Black Shell
BC-NTP3RC	Plug 3.5mm Right Angle, Nickel Tip, Nickel Shell
BC-NTP3RC-B	Plug 3.5mm Right Angle, Gold Tip, Black shell
BC-NP3TT-B(R)	1/4" TT Bantam TRS, Black or Red
BC-NTE1	Standard Neutrik Transformer

DATA & VIDEO

Item Number	Description
BC-NE8FDP	D Style Cat5E, Panel, Pass-through
BC-NE8FDP-B	D Style Cat5E, Panel, Pass-through, Black
BC-NE8FDV-Y110	D Style Cat5E, Panel, IDC 110 Punchdown Terminals
BC-NE8FDV-YK	D Style Cat5E, Panel, IDC Punchdown Terminals
BC-NE8FF	Neutrik CAT5E Coupler
BC-NE8MC	Cable Housing Only, Nickel (RJ-45 plug not included)
BC-NF2D-Color	Jacks RCA D series (BLK, BLU, GRN, RED, YLW)
BC-NJ3FC6	Female Locking TRS 1/4", Nickel, Cable Mount
BC-NJ3FP6C	Female Locking TRS 1/4", Nickel
BC-NJ3FP6C-BAG	Female Locking TRS 1/4", Black



POWERCON AC

Item Number	Description
BC-NAC3FCA	PowerCON Cable Mount, Power In, Blue
BC-NAC3FCB	PowerCON Cable Mount, Power Out, Gray
BC-NAC3MPA-1	PowerCON Panel Mount, Power In, Blue
BC-NAC3MPB-1	PowerCON Panel Mount, Power Out, Gray
BC-NAC3FX-W	PowerCON TRUE1 Cable Mount, Female Connector
BC-NAC3MX-W	PowerCON TRUE1 Cable Mount, Male Plug
BC-NAC3FPX	PowerCON TRUE1 Panel Mount, Female Outlet
BC-NAC3MPX	PowerCON TRUE1 Panel Mount, Male Inlet
BC-NAC3MM-1	Coupler, Mates with FCA & FCB



XLR AUDIO ADAPTERS

Item Number	Description
BC-AN420	Male XLR to Female XLR (In Phase)
BC-AN420 GL	Male XLR to Female XLR (Ground Lifted)
BC-AN420 PR	Male XLR to Female XLR (Phase Reverse)
BC-AN421	Male XLR to Male XLR (In Phase)
BC-AN422	Female XLR to Female XLR (In Phase)
BC-AN423*	Male XLR to Male 1/4" TRS
BC-AN424*	Female XLR to Male 1/4" TRS
BC-AN425*	Male XLR to Female 1/4" TRS
BC-AN426*	Female XLR to Female 1/4" TRS
BC-AN427	Male XLR to Male RCA
BC-AN428	Female XLR to Male RCA
BC-AN430	Female XLR to Female RCA
BC-AN431	Male XLR to Male 1/4" Mono
BC-AN432	Female XLR to Male 1/4" Mono

ADAPTER BOXES

Item Number	Description
SPLITTER	F XLR to 2 M XLR Outs - Transf + Grnd Lift
COMBINER	2 F XLR in to M XLR Out - Transf + Ground Lift
IL-600	Eliminates hums, 600 ohm SESCOM
IL-DI	1/4"F - M XLR out with H-L Transformer
IL-XGL	F XLR - M XLR Ground Lifted
IL-CAT5E	EtherCon CAT5E RJ-45 Coupler

AUDIO ADAPTERS

Item Number	Description
BC-C103	1/8" TRS M - 1/4" TRS F
BC-C104	1/4" TRS M - 1/8" TRS F
BC-C330F	RCA M Y-Adapter - (2) RCA F
BC-C330PJ	1/4" Mono M, Y-Adapter - (2) RCA F
BC-C336	RCA M - 1/4" F Mono
BC-C340	1/4" Mono M, Y-Adapter - (2) 1/4" Mono F
BC-C345	1/4" Mono M - RCA F
BC-C349	RCA F, Coupler - RCA F
BC-C370	1/8" Mono M - RCA F
BC-C374	1/8" Mono M - 1/4" F Mono

G&H SHOWSAVERS

Item Number	Description
BC-GBF2P	ShowSaver, Nickel .322 Housing
BC-GB3ON	Extended Male 1/8" TRS
BC-GRF2P	Rightfoot, Right Angle, .322 Nickel Housing

SWITCHCRAFT

Item Number	Description
BC-S11	Female Standard 1/4" Panel
BC-S11L	Female 1/4" Panel Ext Threading
BC-S121	1/4" Mono, Cable Mt, Jack, Large Body
BC-S12A	Female TRS 1/4" Panel - Shorting
BC-S12B	Female Standard TRS 1/4" Panel
BC-S128	Switchcraft Female Jumbo 1/4"
BC-S131	1/4" 3-Conductor Extension Jack
BC-S151	Female Thick Panel 1/4"
BC-S152B	Female Thick Panel TRS 1/4"
BC-S184	Male 1/4" Jumbo
BC-S226	Male Mono 1/4" RA Barrel Style
BC-S228	Right Angle 1/4" Mono Male, Flat Style
BC-S236	Male TRS 1/4" Right Angle
BC-S280	Male TS 1/4", Nickel
BC-S2501F	1 Pin Screw Type - MS Series
BC-S297	Male TRS 1/4"
BC-S35HDLBN	3.5mm Locking TRS Male, Black, Sennheiser wireless
BC-S35HDLNAU	3.5mm Locking TRS Male, Gold, Sennheiser wireless
BC-S35HDLNN	3.5mm Locking TRS Male, Nickel, Sennheiser wireless
BC-SA3F	Female XLR, Nickel
BC-SA3M	Male XLR, Nickel
BC-STA3FLX	Female Miniature 3 Pin XLR
BC-STA3MLX	Male Miniature 3 Pin XLR
BC-STA4FLX	Female Miniature 4 Pin XLR
BC-STA4MLX	Male Miniature 4 Pin XLR
BC-SEH35MMS-SC	1/8" Fem TRS Panel Mt Solder Type, D Hole
BC-SEHHD15FF	D-Sub Dualport Connectors 15 Pin, Nickel
BC-SEHHD15FFB	D-Sub Dualport Connectors 15 Pin, Black

VIDEO ADAPTERS

Item Number	Description
BC-VA17	BNC Male - "F" Female
BC-VA87	F Female - "F" Female, Coupler
BC-VA07	RCA Male - "F" Female
BC-VA19	BNC Female, T-Adapter - (2) BNC Female
BC-VA35	BNC Male, T-Adapter - (2) BNC Female
BC-VA37	F Male - BNC Female
BC-VA16	BNC Female, Coupler - BNC Female
BC-VA01	RCA Male - BNC Female
BC-VA22	F Male - RCA Female

G&H Industries

Switchcraft®

AMPHENOL

Item Number	Description
BC-91MC4M	Amphenol Style 4 Pin Male Mic with Ring
BC-EP-4-11P	4 Pin Female Cable
BC-EP-4-13P	4 Pin Female Panel
BC-EP-4-14	4 Pin Male Panel
BC-EP-6-11P	6 Pin Female Cable
BC-EP-6-12	6 Pin Male Cable
BC-EP-6-13P	6 Pin Female Panel
BC-EP-6-14	6 Pin Male Panel
BC-EP-8-11P	8 Pin Female Cable
BC-EP-8-12	8 Pin Male Cable
BC-EP-8-13P	8 Pin Female Panel
BC-EP-8-14	8 Pin Male Panel

AUDIO-C SERIES

Item Number	Description
BC-C121	1/4" Mono Female Cable Mt
BC-C128	1/4" Mono Female Cable Mt, Jumbo
BC-C184	Jumbo 1/4" Mono Male
BC-C226G	RA 1/4" Male Barrel-Style, 100% Gold-Plated
BC-C228	Right Angle 1/4" Mono Male, Flat Style
BC-C3502G	RCA Male Cable Mt, Gold Plated
BC-C3502R	Right Angle RCA Male Cable Mt
BC-CD3F	XLR Female 3 Pin Panel Mt
BC-CD3M	XLR Male 3 Pin Panel Mt
BC-CFM5D	DIN Female 5 Pin Panel Mt
BC-CMDP	Banana Plug, Standard Dual Cable Mt
BC-CXLRF	XLR Female Cable Mt, N Style, Nickel
BC-CXLRM	XLR Male Cable Mt, N Style, Nickel
BC-CXLRF-B	XLR Female Cable Mt, N Style, Black
BC-CXLRM-B	XLR Male Cable Mt, N Style, Black

VIDEO/DATA-C SERIES

Item Number	Description
BC-BNC8240	BNC Male Cable Mt Crimp RG58, Belden 8240
BC-BNCMSOLDER	Male BNC Cable Mt Solder Style
BC-DB15HD-PF	VGA 15 Pin Female Panel Mt
BC-RCAFF	RCA Passthrough
BC-VC01	F Male Cable Mt Crimp RG59
BC-VC28	BNC Female Panel Mt, Isolated
BC-ULT-RJ45	Ultimate RJ45, Fits Ultimate CAT5E Cable

STRAIN RELIEF

Item Number	Description
BR-SR-L	Box , Large, Wire Mesh, 1" dia Hole, 24-56 Pair
BR-SR-M	Box , Medium, Wire Mesh, 3/4" dia Hole, 12-20 Pair
BR-SR-S	Box , Small, Wire Mesh, 1/2" dia Hole, 6-9 Pair
BR-SRN-M	Box , Med., Nylon, 3/4" dia Hole, 12-20 Pair
BR-SRN-S	Box , Small, Nylon, 1/2" dia Hole, 6-9 Pair
BR-WH-L	Wire Hanger , Large, Wire Mesh, 32-56 Pair
BR-WH-M	Wire Hanger , Medium, Wire Mesh, 12-28 Pair
BR-WH-S	Wire Hanger , Small, Wire Mesh, 6-9 Pair

HEAT SHRINK TUBING

Item Number	Description
ST-1-BLK	1" Diameter, Black
ST-1.5-BLK	1 1/2" Diameter, Black
ST-1/2-*	1/2" Diameter, Black + 8 Colors
ST-1/4-*	1/4" Diameter, Black + 8 Colors
ST-3/16-CLR	3/16" Diameter, Black, Clear
ST-3/4-CLR	3/4" Diameter, Black, Clear
ST-3/8-*	3/8" Diameter, Black + 8 Colors

RACK PANELS

Item Number	Description
BR-RC-L	Recessed for Cabinet - Large = 5 5/8" X 3 3/8" Black
BR-RC-S	Recessed for Cabinet - Small = 4 5/8" X 2 5/8" Black
BR-RP1	1 Space Rack, Black Steel, Blank
BR-RP2	2 Space Rack, Black Steel, Blank
BR-RP3	3 Space Rack, Black Steel, Blank
BR-RP4	4 Space Rack, Black Steel, Blank
BR-RP5	5 Space Rack, Black Steel, Blank

ACCESSORIES

Item Number	Description
BC-BSX-(Color)	X Series XLR Boots
BC-BXX-(Color)	XX Series XLR Boots
BC-DSS-(Color)	ID Plate
BC-SCDF or SCDM	Rubber Cover, Female or Male "D"
BC-XCR-(Color)	X Series XLR-Rings
BC-XXR-(Color)	XX Series XLR-Rings
MIC-S	Mic Clip with Brass Insert, Black Finish, Slip-on
CTV-BULK	Cable Ties, Velcro 8", 100 pcs, Assort - Red, Blue, Blk, or Gry
PDB-24	Punchdown Block 24 Channel Paralleled

CA-COM, 19 PIN

Item Number	Description
BC-CA19PF	Female Chassis
BC-CA19PM	Male Chassis
BC-CA19LFR	Female Inline with Ring
BC-CA19LMR	Male Inline with Ring
BC-CA19LMX	Male Inline , No Ring

USED IN L-ACOUSTICS DOM CABLES**SPEAKER CA-COM, 8 PIN**

Item Number	Description
BC-CA8PF	Female Chassis
BC-CA8PM	Male Chassis
BC-CA8LFR	Female Inline, Rubber Ring
BC-CA8LMR	Male Inline, Rubber Ring
BC-CA8LMX	Male Inline, No Ring

USED IN L-ACOUSTICS DO CABLES**CIRCULAR 37 TO 201 PIN**

Item Number	Description
BC-M37LF	Female Inline with Ring
BC-M37LM	Male Inline
BC-M39LF	Female Inline
BC-M39LM	Male Inline with Ring
BC-M39PF	Female Chassis
BC-M39PM	Male Chassis with Ring
BC-M61LF	Female Inline
BC-M61LM	Male Inline with Ring
BC-M61PF	Female Chassis
BC-M61PM	Male Chassis with Ring
BC-M85LF	Female Inline with Ring
BC-M85LFR	Female Inline Rubber Ring
BC-M85LM	Male Inline
BC-M85PF	Female Chassis with Ring
BC-M85PM	Male Chassis
BC-M122L	Pin/Socket Inline, Hermaphroditic
BC-M122P	Pin/Socket Chassis, Hermaphroditic
BC-M150LF	Female Inline with Ring
BC-M150LFR	Female Inline with Rubber Ring
BC-M150LM	Male Inline
BC-M150PF	Female Chassis with Ring
BC-M150PM	Male Chassis
BC-M176L	Pin/Socket Inline, Hermaphroditic
BC-M176P	Pin/Socket Chassis, Hermaphroditic
BC-M201LF	Female Inline with Ring
BC-M201LM	Male Inline
BC-M201PF	Female Chassis with Ring
BC-M201PM	Male Chassis



MULTI-PAIR AUDIO

Item Number	Description	OD
BW-MPA-2	Black Flexible , 100% Individually Shielded 24ga	0.260
BW-MPA-4IJ	4 pair Individually Jacketed, 100% Shielded, 24ga	0.400
BW-MPA-6	Performer Series Black Flexible, 100% Individually Shielded 24ga	0.365
BW-MPA-8IJ	8 pair Individually Jacketed, 100% Shielded, 24ga	0.480
BW-CAES-8	C.B.I AES/EBU 110 ohm 100% Individually Shielded 24g	0.488
BW-CAES-16	C.B.I AES/EBU 110 ohm 100% Individually Shielded 24ga	0.570
BW-M2932	Mogami Studio 8 Pair, Individually Jacketed, Spiral Shield	0.453
BW-MPA-9	Performer Series Flexible, 100% Individually Shielded 24ga	0.415
BW-MPA-12	Performer Series Flexible, 100% Individually Shielded 24ga	0.460
BW-MPA-20	Performer Series Flexible, 100% Individually Shielded 24ga	0.560
BW-MPA-28	Performer Series Flexible, 100% Individually Shielded 24ga	0.680
BW-MPA-32	Performer Series Flexible, 100% Individually Shielded 24ga	0.710
BW-MPA-40	Star Performer Belden Flexible, 100% Individually Shielded 24ga	0.815
BW-MPA-48	Star Performer Belden Flexible, 100% Individually Shielded 24ga	0.880
BW-MPA-56	Star Performer Belden Flexible, 100% Individually Shielded 24ga	0.950
BW-MPA-66	Ultimate SP Flexible, 100% Individually Shielded 24ga	1.100

INSTRUMENT WIRE

Item Number	Description	OD
BW-ULT-1	Ultimate Guitar 18ga w/ Double Shield - 95% Double Serve Shield	0.260
BW-GA	Artist Instrument 20ga Blk – 75% Serve Shield	0.235
BW-B9778	Belden Neoprene 20ga Instrument	0.235

MICROPHONE WIRE

Item Number	Description	OD
BW-ML	Custom 22ga – 90% Serve Shield	0.250
BW-ML2	Artist 24ga - 5 Colors – 75% Serve Shield	0.225
BW-MLQUAD	C.B.I Star Quad Conductor 24ga – 95% Braided Shield	0.250
BW-MLULT	Ultimate 20ga – 90% Braided Shield	0.255
BW-M2534	Mogami Neglex Quad OFC – 95% Braided Shield	0.228
BW-8412	Belden 20Ga, Pro Mic Neoprene	0.262



SPEAKER WIRE

Item Number	Description	OD
BW-SC-16	16/2 Power Series, Black w/ Blue Strp	0.290
BW-SC-14	14/2 Power Series, Black w/ Yellow Strip	0.315
BW-SC-12	12/2 Power Series, Black w/ White Strip	0.350

MULTI-CONDUCTOR SPEAKER

Item Number	Description	OD
BW-MCS-124	Heavy Duty 12/4 Unshielded, Flexible PVC Jkt	0.450
BW-MCS-128	Heavy Duty 12/8 Unshielded, Flexible PVC Jkt	0.590

DATA & CONTROL

Item Number	Description	OD
BW-C9539	9 Conductor RS Control 24ga – 100% Foil Shield	0.244
BW-DMX5	C.B.I 2 Pair 24ga DMX, Blk – 100% Foil + 90% TC Braided	0.270
BW-MTPD	C.B.I 14/3 Power Cable + 2 STP Data	0.440
BW-B1583A	Belden / C.B.I CAT 5E Network – Unshielded TP	0.175
BW-CLK901	AES/EBU 26AWG 7X34 100% Foil Shield 110Ω impedance	0.143
BW-MT4-CAT5E	4 channel CAT5E 4 (4 pair UTP) 24 AWG Solid TC	0.650
BW-CAT5E-P	Plenum Rated CAT 5E Network	0.175
BW-CAT5E-ULT	Ultimate Rugged CAT5E – 100% Foil Shield	0.245
BW-CAT5E	Standard CAT5E – Stock Color May Vary – Unshielded TP	0.175
BW-CAT6-S	Standard CAT6 Shielded, Flexible, Rugged	0.215
BW-CAT6-U	Standard CAT6 Unshielded	0.175
BW-CAT6-A	Standard CAT6-A, Shielded	0.225
BW-CS	Power & Data Pair, 14/2 + 24/2 Color Scroller Wire	0.275

VIDEO

Item Number	Description
BW-B1808A	Belden Dual RG59 S-Video Round – 95% Braided Shield
BW-C8240	RG58 Solid 20ga – 95% TC Braided Shield
BW-C8241	RG59 Solid 23ga – 95% BC Braided Shield
BW-B1694A	Belden RG6 SDI 18ga – 100% Beldfoil + 95% TC Braided
BW-C8241S	RG59 Stranded 23ga – 95% Braided Shield
BW-C9248	RG6 Copper 18ga – Duofoil + 51% TC Braided Shield
BW-RG6HD5	Five Wire SDI Coaxial Cable
BW-1694F	Belden Stranded 75 Ohm SDI Cable



INSTALLATION

Item Number	Description	OD
BW-B1503A	Belden Standard 22/2 Audio	0.142
BW-B5100FE	Belden 14/2 Shielded Speaker	0.255
BW-B8451	Belden 22/2 TP 100% Foil Shield, Sml Dia	0.138
BW-C122U	Commercial 12/2 Twisted Pair Unshielded	0.280
BW-C124U	Commercial 12/4 Unshielded	0.358
BW-C142U	Commercial 14/2 Twisted Pair Unshielded	0.250
BW-C162U	Commercial 16/2 Twisted Pair Unshielded	0.155
BW-C164U	Commercial 16/4 Unshielded	0.220
BW-C182U	Commercial 18/2 Twisted Pair Unshielded	0.155
BW-C222S	Commercial 22/2 Twisted Pair Shielded	0.142
BW-DB142U	Direct Burial 14/2 Unshielded	0.280
BW-DB162U	Direct Burial 16/2 Unshielded	0.250
BW-P122U	Plenum 12/2 Twisted Pair Unshielded	0.490
BW-P124U	Plenum 12/4 Twisted Pair Unshielded	0.340
BW-P142U	Plenum 14/2 Twisted Pair Unshielded	0.200
BW-P162U	Plenum 16/2 Twisted Pair Unshielded	0.155
BW-P182U	Plenum 18/2 Twisted Pair Unshielded	0.145
BW-P222S	Plenum 22/2 TP 100% Foil Shield	0.127
BW-P222U	Plenum 22/2 Twisted Pair Unshielded	0.135

**NEED SOMETHING NOT LISTED IN THIS CATALOG? WE STOCK AND
SPECIAL ORDER THOUSANDS OF NON STOCK AND BULK ITEMS DAILY.**

CALL OR EMAIL US TODAY FOR PRICING AND AVAILABILITY

**1.800.346.3462
SALES@CBICABLES.COM**



BECOME A DEALER

Becoming a CBI dealer is a great way to expand your current offering of products to customers. By carrying the CBI line, you and your customers will have the satisfaction knowing the reputation of our brand in addition to the quality of our products. It is our goal to help you maximize your profitability as a business. As your premier cable vendor, we help thousands of dealers just like you each year achieve these goals through our attention to detail, the highest level of customer service, and maintaining the bar we have set for the fastest order turn around time in the industry.

Becoming a dealer is fast and easy. To get started, just call or email one of our Account Managers who will send you a dealer application. Forms can also be found on our website at www.CBICables.com

CONTACT US TODAY

PHONE

1.800.346.3462

EMAIL

SALES@CBICABLES.COM

CONNECT

[HTTP://WWW.CBICABLES.COM](http://www.CBICABLES.COM)

FAX

315.337.2863

FOLLOW



RETAIL PRICE: \$1.99



**CALDWELL BENNETT INC.
6152 COUNTY SEAT ROAD
ORISKANY, NY 13424**