



Hellraiser Special C-1 Wiring Diagram



= ground. This symbol is found where any ground connection should be soldered.



Hellraiser Special C-1 Neck Specs:

Scale Length: 648mm/25.5"

A: Width at Nut- 42mm

B: Width at Last Fret- 56mm

C: Thickness at 1st Fret- 20mm

D: Thickness at 12th Fret- 22mm

Radius: 355mm/14"

Bridge Pickup

Name:	EMG 81
Model No:	81
Construction:	Humbucker
Magnet:	Ceramic/Steel
Output:	Impedance 10K
Description:	Utilizing powerful ceramic magnets and close aperture coils, the tone was designed with detailed intensity, incredible amounts of high end cut and fluid sustain. Traditionally used in the bridge position, this pickup will make your leads slice right through even the densest mix.

Neck Pickup

Name:	EMG 85
Model No:	85
Construction:	Humbucker
Magnet:	Alnico V
Output:	Impedance 10K
Description:	Featuring close aperture coils loaded with Alnico V magnets, the 85 is a powerful pickup with exceptional organic tone and versatility. Most often used in the rhythm position, the alnico magnets of this model provide a muscular growl and smooth lead tones to enable you to play the muddiest of blues to the most extreme metal.

Strings



6-String Guitar*

Tuning: E-A-D-G-B-E

Gauge: .046-.036-.026-.017-.013 .010
(EB Regular Slinky #2221)

*Changing to different string gauges and/or alternate tunings may require minor neck/bridge adjustments for optimal performance. For Schecter setup tips refer to Schecter Setup Guide.



This model is equipped with a Graph Tech Black TUSQ XL nut. The Black TUSQ XL delivers a rich and balanced tone with big open lows and a noticeable increase in overall sustain followed by a very balanced output from your strings. Laboratory-proven to enhance harmonic content up to 200% and sustain up to 16% and is engineered for maximum vibration transfer. Designed to transfer the right frequencies more efficiently from the string to the guitar body. Compared to standard materials such as bone, micarta or corian, you'll hear more harmonics with every note you play when you use TUSQ XL on your guitar. As compared to TUSQ, you will hear added midrange depth, and is impregnated with Teflon to improve the tuning performance of the guitar.

