



COMPUTER RECORDING



PowerCore FireWire ▶ PowerCore PCI
Spark XL ▶ Native Bundle

POWERCORE

POWERCORE PLATFORM PAGE 04-06

POWERCORE FIREWIRE
Serious processing power wherever you are:
at home on a desktop or even when travelling with
just a laptop computer.



POWERCORE
Virtual Multi FX Processor
The DSP-Turbo for Native Audio
Workstations supporting VST and AudioUnits

INCLUDED PLUG-INS PAGE 07-10

	CLASSIC VERB		24/7•C LIMITING AMPLIFIER		VINTAGE CL
	MEGA REVERB		EQ ^{SAT} CUSTOM		CHORUS•DELAY
	MASTER X3		VOICE STRIP		O1 SYNTHESIZER

OPTIONAL PLUG-INS PAGE 11-15

	RESTORATION SUITE		WALDORF D-CODER		SONY OXFORD INFLATOR		VOICEMODELER
	ASSIMILATOR		SONY OXFORD DYNAMICS		MASTER X5 (UPGRADE FROM MASTER X3)		INTONATOR HS
	SURROUND VERB		SONY OXFORD EQ ⁵		DSOUND VL2		

NATIVE SOFTWARE

SPARK LINE PAGE 16-17




SPARK XL 2.8
THE REALTIME DIGITAL AUDIO
EDITOR FOR MAC OS WITH
NATIVE AUDIO RESTORATION

NATIVE PLUG-INS (VST / MAS) PAGE 18-19



NATIVE BUNDLE 3.0
6 HI-END PROCESSING TOOLS
• COMPRESSOR•DEESSER
• NATIVE REVERB PLUS
• LIMITER
• GRAPHIC EQ
• PARAMETRIC EQ
• FILTRATOR

POWERCORE PLATFORM



SERIOUS POWER FOR NATIVE WORKSTATIONS

COMPLETE INTEGRATION

All production tasks have moved into the computer these days – from MIDI and audio recording to mixing, effects and even virtual instruments. Users demand total integration into their favourite sequencing environment – and no compromises. PowerCore makes that come true!



SUPPORTS YOUR NATIVE AUDIO WORKSTATIONS

PowerCore offers the right hardware choice and software options for any user of desktop- or laptop-based production systems. The platform integrates with virtually any VST or Audio Units sequencer and most I/O solutions.



POWER BY DESIGN

PowerCore provides a stack of rackmount-quality Plug-Ins and massive amounts of DSP-processing power, freeing up the host computer to run other tasks and processes. The unique design combines a Motorola PowerPC and 4 x 56K industry standard DSPs. There's enough power to run multiple reverbs, virtual Finalizers and other hi-end effects at the same time.

3RD PARTY SUPPORT

PowerCore is an open development platform, with a growing number of 3rd party developers delivering new and exciting tools. SONY Oxford, Waldorf, TC-Helicon and D-Sound already ship optional virtual processors – and even more is expected soon.

ANY TYPE OF PROCESSING

The PowerCore platform provides a truly flexible DSP-backbone that runs any type of DSP processing from effects and mastering to virtual synthesis.

KEY FEATURES:

- Choose between PCI or FireWire version
- PC and Mac OS X support
- VST and AudioUnits support
- Multiple cards or FireWire units can be used in one system
- 24/96 and higher supported

POWERFUL TOOLS

Nine studio-quality virtual TC processors are included with PowerCore right out of the box. The bundle includes 2 Reverbs, mastering EQ, a virtual Finalizer, vintage compression and dynamics, a voice channel strip and even a synthesizer. With all of the included Plug-Ins, the quality level normally associated with hardware products is now available within any native workstation.

INCLUDED PROCESSORS

• MASTER X3

• 24/7•C LIMITING AMPLIFIER

• 01 SYNTHESIZER

• EQ^{SAT} CUSTOM

• CLASSIC VERB

• VINTAGE CL

• VOICE STRIP

• MEGA REVERB

• CHORUS•DELAY

	POWERCORE PLUG-INS										INCLUDED										OPTIONAL									
											EQ ^{SAT} CUSTOM	MASTER X3	24/7•C LIMITING AMP.	CLASSIC VERB	VINTAGE CL	01 SYNTHESIZER	MEGA REVERB	VOICE STRIP	CHORUS•DELAY	MASTER X5 48K	WALDORF D-CODER	SONY OXFORD DYNAMICS	ASSIMILATOR	SONY OXFORD EOS	DSOUND VL2	SURROUND VERB	SONY INFLATOR	RESTORATION SUITE	VOICEMODELER	INTONATOR HS
TRUE STEREO REVERB																														
EXPANSION/GATE																														
COMPRESSION																														
DEESSER																														
LIMITING																														
DITHERING																														
MODULATION																														
VOICE EQ																														
MASTERING EQ																														
CHANNEL EQ																														
VINTAGE SOUND																														
TUBE EMULATION																														
VOCODING																														
SYNTHESIS																														
SURROUND EFFECT																														
MASTERING PROCESSING																														
24/96																														
PITCH CORRECTION																														
VOICE PROCESSING																														
RESTORATION																														

POWERCORE HARDWARE CHOICES

POWERCORE PCI

A single POWERCORE PCI provides the power to run stacks of hi-quality processing: multiple Finalizers, studio-quality reverbs, 1176-style vintage dynamics, synthesizers - all at the same time!
Up to 4 cards can be used in one system simultaneously.



POWERCORE FIREWIRE

POWERCORE FIREWIRE provides significantly more power than the PCI-version, with even faster DSPs and more RAM. This version is ideal to run extreme hi-end processes and for laptop users with limited connection busses. Up to 2 FireWire units can be used on one 400 MBit FireWire bus.



COMPARISON			
POWERCORE PCI		POWERCORE FIREWIRE	
4 x 100 MHz	DSPs	4 x 150 MHz	
4 x 128 kWords	S-RAM	4 x 512 kWords (1.5 MB!)	
1 x 200 MHz PowerPC	Power PC	1 x 266 MHz PowerPC	
8 MB	D-RAM	8 MB	
PCI-card	Size	19" Box	
Desktop	Use	Laptop or Desktop	
100% COMPATIBLE			

SYSTEM REQUIREMENTS

G3 or G4 with OS X.2 or higher, 256 MB RAM, VST compatible host application, most sound systems supported by VST/AudioUnits application.
PowerCore FireWire requires a 400 MBit FireWire connector.

Mac

PIII/500 or better, 256 MB RAM, WIN XP, VST compatible host application
PowerCore PCI requires a full length PCI-slot and a 3.3 Volts PCI Bus (spec. 2.2).
PowerCore FireWire requires a 400 MBit FireWire connector.

PC

CLASSIC VERB

INCLUDED
COMES WITH POWERCORE

CLASSIC REVERB PROCESSOR

The CLASSIC VERB enhances the out-of-the-box reverb flexibility of PowerCore significantly! The processor adds that “other” category of warm, lush reverb effects often associated with big expensive hardware processors to the effects menu. It is a whole different way to create the effect compared with our usual reverb philosophy, and the natural sounding reverbs provided by MEGA REVERB.

CLASSIC VERB is exclusively available for PowerCore.



FEATURES

- 16 different types: Classic Hall, Vocal Studio, Room, Hall, Drum Box, Drum Room, Large Cathedral, Ambience, Live Reverb, Spring, Plate 1, Plate 2, Club, Living Room, Concert Hall
- Low and High Color Offset Parameter
- Hi-Cut Filter
- Loads of presets
- 24/96 processing

MEGA REVERB

INCLUDED
COMES WITH POWERCORE

TC REVERB PROCESSOR

With even better diffusion, denser tails and more realistic room impressions than ever before, MEGA REVERB provides the ultimate plug-in reverb solution for PowerCore.

Also available for Pro Tools HD as part of the TC TOOLS.



FEATURES

- Reverb algorithms core 1 and 2 from the TC M5000
- New Diffusion and Tail Tuning
- Six room shapes, modeled after real rooms: Hall, Fan, Prism, HorseShoe, Small and Club
- 3 Band Tail
- Separate Early Reflections and Tail Controls
- True Stereo processing

MASTER X³

INCLUDED
COMES WITH POWERCORE

VIRTUAL FINALIZER™

Knock out Punch for any mixes or masters. Period. MASTER X3 is the virtual incarnation of the TC Electronic Finalizer™, the standard mastering processor in the pro audio field. MASTER X3 expedites the mastering process by integrating several phases of mastering into a single, easy to use interface. It features multiband processing with expansion, compression and limiting separately for each band. High quality uncorrelated dithering is included as well. The intuitive user interface features many new ideas to make the critical mastering process faster and easier. The overall processing characteristics are

controlled via “Target Curves” that simplify the handling by providing a global processing style for all bands in all modules. The interaction between the bands can be fine tuned by applying “Target Factors” which determine the frequency focus of each processing module, significantly reducing the number of required user parameters to set this complex process up. “Soft Clipping” even provides “analog” sound whenever desired.

MASTER X3 is also available for Pro Tools HD.

FEATURES

- 3-Band processing with adjustable crossovers
- Expander
- Compressor
- Limiter
- Dithering (uncorrelated)
- Look-Ahead feature of up to 10 ms
- Adjustable Digital Ceiling with accuracy of up to 0.05 dB
- Hi-Res Metering with selectable Hold Modes
- Consecutive Clippings counter



UPGRADE TO 5 BANDS!
DETAILS ON PAGE 14

24 / 7•C

INCLUDED

COMES WITH POWERCORE

VIRTUAL LIMITING AMPLIFIER

Convincing vintage compression and limiting using one of the most desired vintage models for PowerCore!

24/7-C was inspired by one of the vintage processors synonymous with classic dynamics processing for mixing and mastering. This Plug-In recreates the details of the sound and user interface of this hardware processor as closely as possible, delivering virtual vintage at its best. The user interface is simple and straight-forward: increasing the

FEATURES

- Modeled Algorithm
- 4, 8, 12, 20 and “4-Button” Ratios
- Super-Fast Attack and Release
- Adjustable Auto-Output Gain
- 24/96 processing



input will drive the limiter depending on the selected ratio. Even the famous 4-Button-mode was implemented.

A special new feature is an Auto-Gain sensing for the Output parameter, that adjusts the output depending on the program material.

24/7-C is exclusively available for PowerCore.

VOICE STRIP

INCLUDED

COMES WITH POWERCORE

VOICE CHANNEL

This complete voice processing channel includes all tools required for vocal sound adjustment: Compression, DeEssing, a dedicated Voice EQ, Low Cut Filter and Gate. Compression and EQ are modeled after classic hardware devices that deliver hi-end vintage tube

FEATURES

- Tube Compression model
- Tube EQ model
- Level-independent De-Esser
- Low Cut Filter
- Gate
- SoftSat™ algorithm
- 24/96 processing

sound, but naturally VOICE STRIP can also be used for subtle processing. All modules can be run simultaneously providing you with instant total recall for professional voice sound!

VOICE STRIP is currently only available for PowerCore.



EQ^{SAT} CUSTOM

INCLUDED

COMES WITH POWERCORE

HI-PERFORMANCE EQ

EQSat Custom is a very clean sounding and carefully crafted EQ-model for any application including mastering. The processor provides 5 bands with 3 parametric ones and 2 additional shelving bands. The frequency response display gives instant feedback on the applied equalization curve. And

what's more, the unique saturation emulation can be activated to create that warm, analogue sound whenever desired.

A similar EQSat is also available for Pro Tools HD as part of the TC TOOLS.



FEATURES

- 3 parametric bands with Frequency, Gain and Bandwidth controls
- High and Low Band with Frequency, Gain and Slope controls
- Boost/Cut up to 18dB per band
- Boost/Cut frequencies with pinpoint accuracy
- 24/96 processing
- SoftSat™ for warm, analogue sound

VINTAGE CL

INCLUDED

COMES WITH POWERCORE

CHANNEL COMPRESSOR-LIMITER

Hi-quality compression and limiting on each channel is very hard to realize when limited to native processing only.

VINTAGE CL delivers just that – up to 28 VINTAGE CLs can be run on one PowerCore card, or 7 per DSP. In spite of this efficiency, VINTAGE CL employs a carefully crafted algorithm – emulating the behaviour of industry-standard analog

FEATURES

- Highly efficient channel Compressor and Limiter
- Compressor employs “transistor” model
- Limiter with SoftSat™
- 24/96 processing

compression devices, best imagined as “dbx-style” to use a classic reference, delivering comparable results in the hardware world.

VINTAGE CL is exclusively available for PowerCore.



CHORUS-DELAY

INCLUDED

COMES WITH POWERCORE

MODULATION MULTI-FX

CHORUS-DELAY provides the trademark TC Electronic chorus sound. With very flexible routing and filtering facilities it recreates the 1210 Spatial Expander with its unique modulation images like Chorus, Flanging and Slap Delay .

FEATURES

- Brings the classic TC1210 sound to your workstation
- 10 great Chorus, Flanging and Slap Echo delay effects
- HiCut filter
- Flexible routing
- 24/96 processing

Of course you can adjust the modulation speed in BPM.

CHORUS-DELAY is also available for Pro Tools HD as part of the TC TOOLS bundle.



RESTORATION SUITE

NEW

OPTIONAL

SOLD BY TC ELECTRONIC

ULTIMATE RESTORATION TOOLS FOR POWERCORE

This Suite is a new benchmark of what is possible within Audio Restoration. The latest technology was used to create truly versatile tools that make the "sound of silence" far more attainable than you've ever imagined.

DESCRATCH employs unique patented technology that eliminates clicks, scratches and even long disturbing drop outs. DeScratch is perfect for removing extreme impulsive-type errors in digital signals or scratched vinyl recordings. At last it's possible to eliminate extremely large scratches without audible artifacts.

DENOISE removes broadband noise, from tape hiss to static environmental noise. The Denoiser is fingerprint-based and offers manual adjustment for very precise and predictable processing results.

DECLICK repairs crackle and clicks with an extremely easy and fast user interface. The Audition feature allows monitoring of the removed signal parts for optimal results. In combination with the DeScratcher, small and large artifacts can be reduced dramatically in just one pass.

Restoration Suite is exclusively available for PowerCore.

SYSTEM REQUIREMENTS
 TC-recommended Mac or PC (details on www.tcsupport.tc) with POWERCORE PCI or Firewire, VST or AU compatible Sequencer like Logic, Cubase, Nuendo. Powercore Software 1.7 required.



FEATURES

DeScratch New technology based on extrapolation of missing signal parts • Repairs extremely large clicks • Statistical Tools provide processing feedback

DeNoise Fingerprint-based denoiser • Adjustable Learn time • Optimized for broadband noise

DeClick Repairs clicks, also capable of removing crackle • Automatic size adjustment • Statistical Tools provide processing feedback

POWERCORE 01

INCLUDED

COMES WITH POWERCORE

SYNTHESIZER

PowerCore is an open platform with a lot of potential to grow even further – PowerCore 01 is the first taste of synthesis technology to come. This mono-synth will deliver results similar to the famous SH-101, with some added features like velocity and drive. Punchy Bass lines, synthetic percussion

FEATURES

- Mono synth
- Virtual analog, no samples
- Filter with self-oscillation
- Drive section: instant TB-like sounds
- 24/96 processing
- 4 Skins: Grey, Blue, Red and Ashes

sounds or synth-leads – PowerCore 01 can do it all!

PowerCore 01 is exclusively available for PowerCore.



ASSIMILATOR

OPTIONAL

SOLD BY TC ELECTRONIC

EQ-CURVE ASSIMILATION AND MORPHING

Learn the sound of your favourite mix and apply it to your own. In short, that is what the ASSIMILATOR does. Equalization is one of the more difficult tasks in recording, mixing and mastering – especially when trying to match a certain sound. With ASSIMILATOR this process will be fast and instantaneous - 3 steps and you're done! The UI provides two complete sets of curves and a morph page. On the morph page, you can morph between two complete curve sets by simply moving one fader. The applications of this

FEATURES

- FFT-resolutions of 2048, 4096, 8192
- Freely adjustable Apply strength
- Morph: 2 sets of curves can be blended into each other
- Draw tools for EQ-curve editing
- Curve presets (Loudness etc.)
- Limiter
- 1 per DSP

SYSTEM REQUIREMENTS
 TC-recommended Mac or PC (details on www.tcsupport.tc) with a PowerCore, VST or MAS compatible Sequencer like Logic, Cubase, Nuendo or Digital Performer.

processor range from film sound to mastering and of course creative use! The technology employed is based on Fast Fourier Transformation (FFT); 3 different resolutions allow you to adjust it to your needs – in the highest resolution the process is so heavy it requires a full DSP!

ASSIMILATOR is exclusively available for PowerCore.





SURROUND VERB

OPTIONAL
SOLD BY STEINBERG

FOR NUENDO

TC-quality 5.1 reverb has been available to users of Steinberg's NUENDO for quite a while thanks to this Plug-In's native version. Now this new version adds PowerCore support.

SURROUND VERB features a graphic display for visualizing the reverb expansion in the virtual space, and a powerful algorithm core delivering dense and convincing state-of-the-art reverbs. The tail parameter offers the same flexibility as

FEATURES

- Runs native or on PowerCore
- Very natural results
- 4 Room Types: Hall, Horseshoe, Club, Room
- Reverb expansion display
- Discrete tail for each channel in a 5.1 setup
- High/Low shelving filters

SYSTEM REQUIREMENTS
TC-recommended Mac or PC (details on www.tcsupport.tc) with a PowerCore and Steinberg's Nuendo.

MEGA REVERB with 3-band control and adjustable crossovers. The additional EQ stage provides additional sound flexibility with its low and high shelving filters.

Distributed by Steinberg – please contact Steinberg for details!



SONY OXFORD INFLATOR

OPTIONAL
SOLD BY SONY

TUBE EMULATED DYNAMICS PROCESSOR

The INFLATOR is a unique process that can provide an increase in the apparent loudness of almost any program, without obvious loss of quality or audible reduction of dynamic range, yet avoiding damaging increases in the peak level of the signal. The INFLATOR process can also bring power, presence and warmth to program material and even provide a headroom overload margin above the digital maximum, with a subtlety and musical character reminiscent of tube systems.



Distributed by www.sonyplugins.com (downloadable)

SYSTEM REQUIREMENTS
• TC-recommended Mac or PC - details on www.tcsupport.tc • PowerCore installed • Mac OS X.2 or later / Windows 2000 or XP • PowerCore software 1.7 or later • VST or AudioUnit compatible host application such as Spark, Cubase, Logic or Performer

FEATURES

- Increases the loudness of almost any program material
- Creates warmth, character and dynamic excitement, similar to analog systems
- Provides virtual headroom above digital maximum
- Creates artistic effects ranging from subtle tube-like harmonic characteristics to outright saturation distortion modelling

SONY OXFORD EQs

OPTIONAL
SOLD BY SONY

SONY OXFORD EQ SUITE

SONY OXFORD EQs deliver an unparalleled quality and flexibility with very musical results and extremely low noise and distortion - below -130 dB! The EQ & Filters Plug-In comprises out of 5 different sections including HF and LF selectable to shelf. Two additional HF and LF filters add to the power with variable slopes from 6 dB to 36 dB per octave. The package includes different Plug-In versions for greater DSP-efficiency and they are all based on the Sony Oxford consoles and Pro Tools Plug-Ins.



Distributed by www.sonyplugins.com (downloadable)

SYSTEM REQUIREMENTS
• TC-recommended Mac or PC - details on www.tcsupport.tc • PowerCore installed • Mac OS X.2 or later / Windows 2000 or XP • PowerCore software 1.7 or later • VST or AudioUnit compatible host application such as Spark, Cubase, Logic or Performer

FEATURES

- Very musical results
- 4 different EQ-style models for maximum flexibility
- Extremely low noise and distortion (below -130 dB)
- 5 separate sections with HF and LF selectable to shelf
- 2 separate HF and LF filters with variable slope from 6 dB to 36 db/oct
- 24/96 processing



WALDORF D-CODER

OPTIONAL
SOLD BY TC ELECTRONIC

SYNTHESIZER VOCODER

The Waldorf D-CODER is an extremely sophisticated vocoder and synthesizer, in one easy-to-use interface. The included polyphonic synthesizer with classic Waldorf sound eliminates the need for external carriers. The integrated Chorus unit provides rich modulation effects for "phat" sounding results, and a 3-band EQ section allows you to emphasize critical speech frequencies.

D-CODER is fully VST 2.0 compatible, and can be played from a MIDI track or a keyboard. D-CODER is so flexible, the synthesizer section can be played independently of the

FEATURES

- 3 to 100 band Vocoder
- Dual Oscillator Polyphonic Synthesizer with Ring Modulation
- Source Mixer for Analysis, Vocoder and Synth sections
- 3-band EQ, Chorus and Drive
- Carrier plug-in included
- LFO Modulation of Vocoder Filters
- MIDI Sync for all LFOs
- Responds to Polyphonic MIDI, Monophonic MIDI, or Free Run
- Fully VST 2.0 compatible

vocoder section. If you are using a VST 2.0 compatible sequencer, all LFOs can follow MIDI sync, allowing you to independently modulate the synthesizer and the vocoder in musically relevant values such as "8 bars". With the included Carrier plug-in, you can also vocode audio without using the synthesizer section, combining different audio tracks for unbelievable results.

D-CODER is exclusively available for PowerCore.



SONY OXFORD DYNAMICS

OPTIONAL
SOLD BY SONY

FULL DYNAMICS AND COMPRESSION FROM THE OXF-R3

SONY OXFORD DYNAMICS is a Plug-In Bundle featuring a Channel Dynamics and a surround-capable Bus Compressor Plug-In. The Dynamics section includes Compressor, Limiter, Gate and Expander with controls that have been optimized carefully for maximum flexibility within the intended specific use of that section. The very wide control ranges offered within the applications are accommodated in the GUI using specific control laws that encourage experimentation over a very wide parameter set without the loss of finer control

FEATURES

- Includes 2 Plug-Ins: Channel Dynamics & Bus Compressor
- Channel Dynamics with Compressor, Limiter, Gate, Expander and 2 Band side chain EQ
- Bus Compressor / Limiter supports multi-format surround
- Selectable linear and exponential time constant curves.
- Highly accurate logarithmic side chain processing.
- Fully variable soft ratio function for extreme program tolerance and highly musical compression.
- Variable harmonic enhancement for extra loudness, presence and 'punch'.
- Selectable re-dithering function
- Extremely low signal path noise and distortion, below -130dB.

sensitivity and detail. Careful consideration has also been given to the dynamic behaviour of the time constants, as this factor is largely responsible for the sonic character of the dynamics application. Another Sony Oxford classic for PowerCore!

Distributed by www.sonyplugins.com



SYSTEM REQUIREMENTS
• TC-recommended Mac or PC - details on www.tcsupport.tc • PowerCore installed • Mac OS X.2 or later / Windows 2000 or XP • PowerCore software 1.7 or later • VST or AudioUnit compatible host application such as Spark, Cubase, Logic or Performer



MASTER X5

OPTIONAL
SOLD BY TC ELECTRONIC

UPGRADE FROM MASTER X3 FOR POWERCORE

MASTER X5 goes beyond the MASTER X3 Finalizer implementation, offering 5 bands, different filter slopes and double-precision processing. This Plug-In provides even more detailed access during the mastering process for CD and broadcast. It is optimized for 44.1 and 48 kHz processing and also an ideal tool for optimizing material like commercials

FEATURES

- 5-Band processing with adjustable crossovers
- Double-Precision Processing
- Dithering (uncorrelated)
- Look-Ahead feature of up to 10 ms
- Adjustable Digital Ceiling with accuracy of up to 0.05 dB
- Hi-Res Metering with selectable Hold Modes
- Consecutive Clippings counter

SYSTEM REQUIREMENTS

TC-recommended Mac or PC (details on www.tcsupport.tc) with a PowerCore, VST or AudioUnits compatible application Sequencer like Logic, Cubase, Nuendo or Digital Performer. 96kHz is not supported.

for broadcast applications; the 5 bands allow to get even more "level" out of the program material.

MASTER X5 is no longer available for Pro Tools. Only MASTER X3 is available for Pro Tools HD.



DSOUND VL2

OPTIONAL
SOLD BY DSOUND

MULTICHANNEL VALVE INTERFACE

The VL2 is an 8-channel virtual valve interface for mixing and mastering, adding the warmth and life of tube processing to any digital recordings. This Plug-In was developed by DSound as a direct result of the phenomenal growth in popularity of affordable hard disk recording systems. The mission was to fix the sometimes cold and clinical sound of digital recordings and its unobtrusive processing. The VL2 is an elegant solution with a simple interface and a superior audio quality. The VL2 goes beyond the functionality of com-

mon valve interfaces by allowing you to control the amount of saturation with a single, finely tuned control. Each channel of the VL2 has unity gain – so levels are unaffected – but as each channel incorporates a valve stage, the audio signal benefits from the warmth of the finely modeled valve characteristics.

Distributed by www.dsound1.com. Please contact DSound for details.



FEATURES

- Warm sounding results
- Multichannel mode with 8 channels in Nuendo
- Unity Gain per channel
- Very simple handling – 1 control across all channels
- 24/96 processing
- 3 per DSP at 48 kHz

SYSTEM REQUIREMENTS

• TC-recommended Mac or PC - details on www.tcsupport.tc • PowerCore installed • VST or MAS compatible Sequencer like Logic, Cubase, Nuendo or Digital Performer.



TC-HELICON VOICEMODELER

NEW

OPTIONAL
SOLD BY TC ELECTRONIC

VOICE MORPHING TOOL FOR POWERCORE

VoiceModeler utilizes TC-Helicon's unique technology to alter the sound of a voice completely. The realtime process can turn "thin" vocals into "throaty" ones - or even transform a "male" into a "female" voice. Now, one singer can have multiple "Voice Personalities" - and a convincing choir sound featuring different voices can be built from one "source sound". VoiceModeler's "Resonance" and "Breath" features combined with the "Spectral" features can be used to subtly enhance the sound of a vocal. It will make it crisper, give it slightly more "body" or create a "breathy" intimate sound - or even all at the same time!

FEATURES

- Latest TC-Helicon Voice Modeling technology
- Changes all voice aspects
- The voice is resynthesized based on real human models
- Morph from male to female
- Includes new voice model styles
- Vibrato Function adds vibrato to vocals that were sung too "straight"
- LFO with MIDI-Sync to modulate the Resonance and Spectral aspects of the model
- Intuitive display illustrating the effect of each modeling parameter
- Morph voices including gender-change

VoiceModeler is not a Pitch-fixing tool - instead it changes voices completely. Taken to the extreme, VoiceModeler creates unheard-of voices. The tempo-synced modulation and Plug-In automation add their bit to the sonic freedom unleashed by VoiceModeler!



SYSTEM REQUIREMENTS

• TC-recommended Mac or PC - details on www.tcsupport.tc • PowerCore installed • Mac OS X.2 or later / Windows 2000 or XP • PowerCore software 1.7 or later • VST or AudioUnit compatible host application such as Spark, Cubase, Logic or Performer

TC-HELICON INTONATOR HS

NEW

OPTIONAL
SOLD BY TC ELECTRONIC

VOCAL INTONATION CORRECTION

The TC-Helicon Intonator HS for PowerCore fixes intonation problems in vocals on the fly, saving producers hours of recording and editing time.

The Plug-In utilizes the latest intonation correction technology also found in TC-Helicon's hardware products and delivers very natural sounding results. The user interface is straightforward and easy-to-use with a realtime pitch and processing display.

FEATURES

- Latest generation TC-Helicon technology
- Maximum Correction range is +/- 600 Cents
- Correction width can be limited to particular notes and ranges
- Correction can be limited to react only to extreme pitch errors
- Intuitive interface
- Adaptive Low Cut Filter

SYSTEM REQUIREMENTS

• TC-recommended Mac or PC - details on www.tcsupport.tc • PowerCore installed • Mac OS X.2 or later / Windows 2000 or XP • PowerCore software 1.7 or later • VST or AudioUnit compatible host application such as Spark, Cubase, Logic or Performer



SPARK XL

THE REAL-TIME DIGITAL AUDIO EDITOR FOR MAC OS X

SPARK XL is the professional audio authoring solution for MacOS X. This application goes way beyond classic two-track editing, by supplying extensive signal processing, audio restoration and even CD-burning facilities.



BROWSE

Spark XL's workflow-oriented One Window Approach makes it easy to keep the overview. The Browser View integrates all aspects of editing into one window: Audio Data Base, Wave Editor and Play List. All key features are fast to access, as real-time processing, Plug-In access and Master Out are all integrated into the Master View.

EDIT

The Edit View provides all of the key editing features expected from a first class audio editor - and then some! Separate Play and Edit cursors make it easy to locate edit points and simplify the generation of segments and regions. Markers may be created on the fly and even show up in the Play List.

Audio can be displayed in up to single-sample resolution, and the zooming routines are extremely fast. Off-line access to Plug-Ins ensures fast and easy processing of short passages in long files without requiring cumbersome edit stunts.



BATCH CONVERT

Spark XL includes a Batch Converter with Plug-In access that even maintains the folder structure of complex file stacks when processing to a new destination. The process is completely automatic, so rather than having to convert or process one file after the other yourself, you can leave this tedious work to Spark!



PROCESS

SPARK XL includes 25 quality Plug-Ins from Reverb to Denoising and Declicking, right out of the box. The Master View features the unique FX Machine, a real-time processing matrix for any kind of processing from effects to audio restoration. This extremely flexible FX-routing matrix is a creative power tool with endless possibilities for real-time sound manipulation, sound design and of course mastering.



SYSTEM REQUIREMENTS



Apple Macintosh G3 300 MHz or better • MacOS X (v10.2 or higher) • 256 MB RAM • Optional CD Burner • Optional CoreAudio compatible I/O Device • QuickTime 6 recommended

MASTER

High Resolution Metering with phase correlator and 2 real-time analyzers take care of the visual part of mastering. The FX Machine with its multi-band processing capabilities and included Compressors, Limiters and EQs, provides the sonic tools to get the job done. The MBM Noise Shaping and Dithering technologies ensure optimal results.



MEGABITMAX

MEGABITMAX is a novel Word Length Reduction technology developed for hi-end audio mastering. It is created for applications that demand the highest level of detail resolution from audio mastering, and it is an excellent solution for recordings with high dynamic range, such as classical, jazz, film music, etc. Unlike the noise of other word length reduction systems, the dither noise is not disturbing to the human ear. It has a natural spectrum across the audible frequency range, so users can describe the sound as "vinyl-like" and "analog". While preserving the finest detail of your high-resolution master, the dither noise has very small amplitude, so it won't present any problems for post- processing/duplication equipment. MEGABITMAX is completely optimized for 44.1 kHz and higher (96 kHz, 192 kHz...) sampling rates.



ANALYZE AND RESTORE

Real-time Denoising, Declicking, DC-Removal and high quality cut filters provide power tools for audio restoration. Additionally, the included Sonograph Analyzer displays frequency content of files, further simplifying the visual detection of any unwanted artefacts.

ASSEMBLE, CROSSFADE & BURN

Spark XL includes a Play List feature in the main Browser View, that allows the creation of complex track lists, including real-time crossfades (which may be set up on-the-fly in their own dedicated cut-edit window), combining multiple takes into one index and direct access to Apple's CD-burning services.



INCLUDED PLUG-INS

- SPARK FX MACHINE
- SPARK FX MACHINE Instrument
- Bandpass
- Cut Filter
- Reverb
- Resonance Filter
- FuzzSat
- Grainalizer
- Touch Wah
- Tape Delay
- 1 Band EQ
- 3 Band EQ
- Compressor & Limiter
- MaxIt
- Expander
- TCO – Oscillator
- TCF – Filter
- TCA – Amplifier
- TCSeq – Step Sequencer
- TCK – Virtual Keyboard
- Sonic Destructor (upon registration)
- Declicker
- Denoiser
- Sonograph
- Metergraph



NATIVE BUNDLE

CREATIVE AND PRODUCTION EFFECTS BUNDLE

NATIVE BUNDLE provides everything for processing a native production in true TC-quality! This bundle covers all your needs for equalization, dynamics processing, limiting, reverberation and creative filtering - all tools are performance optimized, so they really work in native multitrack environments. The intuitive user interfaces make these Plug-Ins invaluable tools you'll want to use instantly!



REVERB

Native Reverb Plus supports an extended version of the renowned Native Reverb algorithm – with even smoother sounding tails and more user parameter access than the original version. This Plug-In brings TC-quality reverb to any VST or AudioUnit compatible recording environment without bringing the CPU to its knees! (Tip: Check PowerCore for the ultimate in Plug-In Reverb!)



SIDECCHAIN COMPRESSOR•DEESSER

This solution includes two Plug-Ins: the main Compressor•DeEsser and the SideChain Plug-In. This extremely flexible and powerful dynamics processing tool is the “Swiss Army Knife” for single band dynamics processing with “digital” and “analog” sounding compression, level-independent deessing and even program-controlled compression (ducking).



PARAMETRIC EQ

This powerful 10 Band Parametric EQ offers much more than what is found in traditional Parametric EQs: Seven bands are fully configurable parametric bands, a unique virtual joystick controls three additional bands for simultaneous and fast overall treble and loudness control. The seven bands can be freely assigned to work as Parametric, High Shelf, Low Shelf or even Notch Filters – or any combination of these. Split gain controls for left and right channels give instant access for working on channels discreetly, or to move bands around in the stereo image.



SYSTEM REQUIREMENTS

Apple Macintosh G3 300 MHz or better • MacOS X (v10.2 or higher) • 256 MB RAM • VST or Audio Units compatible host application • Optional I/O Device compatible with host application

Mac

Intel PIII 500 MHz or better • Windows 98, ME, 2000 or XP • 256 MB RAM • VST compatible host application

PC



GRAPHIC EQ

The unique virtual “Touch Screen” makes this 28 band Graphic EQ Plug-In extremely intuitive and fast to set up. Simply draw the desired frequency response curve with the mouse and the EQ is set. Additionally, the Curve Scale Fader allows instant adjustment or even inversion of the overall curve. The bands can be grouped for easier handling, and the Plug-In can be set to operate with fewer bands to free up performance. The SoftSat feature engages a dedicated “analog emulation” algorithm whenever color and warmth is desired.



LIMITER

LIMITER is a powerful tool for limiting and maximizing audio recordings in any mixing or mastering situation. The plug-in provides single-band limiting with adjustable Hold Time, Auto Make-Up Gain and a huge reduction meter and unique level histogram. The histogram is a true eye opener: it displays the level distribution in your file before and after processing. You can even monitor the difference between input and output, so you get the feedback you need to set the process up right!



FILTRATOR

This virtual Filter Bank provides all the features – and the sound – required for en vogue filtering effects. Its innovative controls and fast editing bring synthesizer-style filter processing to any native environment. Modulation of the filters is available via an envelope follower, the flexible LFO section with MIDI-tempo-sync, or even both sources at the same time. Of course, this Plug-In can be completely automated. The Filtrator has quickly become a “virtual classic”, with rave reviews all over the world!



INCLUDED TOOLS

- Reverb
- Parametric EQ
- Notch Filter
- Distortion
- Low Cut Filter
- High Cut Filter
- Graphic EQ
- Soft Compressor
- Vintage Compressor
- Limiter
- DeEsser
- Saturation (Analog Sound)
- Synth Filter
- Envelope Follower
- Ducking
- High Res Metering



TC SUPPORT INTERACTIVE

The TC Support Interactive web site (www.tcsupport.tc) is designed as an online support and information center. At the site you can find answers to specific problems regarding TC hardware and software. All resolved problems are stored in a database searchable by product, category, keywords, or phrases. Under the section "My Stuff" you can Login to check the status of your questions, download file attachments and a lot more. Furthermore, you can download most of the TC manuals, software updates and presets. This site has been specifically designed for the users of TC products. We constantly update the database and you will find the site to be a huge resource of information. Browse through Q&A's and discover new aspects of your TC product. If you can't find an answer online, you have the option of submitting a question to our technical support staff who then will reply to you by e-mail. The TC Support Team is on constant alert to help you in any way they can.



www.tcelectronic.com

t.c. electronic
ULTIMATE SOUND MACHINES

TC ELECTRONIC A/S ▶ DENMARK ▶ ☎ + 45 8742 7000 ▶ [FAX] +45 8742 7010
TC ELECTRONIC INC ▶ USA ▶ ☎ (805) 373 1828 ▶ [FAX] (805) 379 2648

WWW.TCELECTRONIC.COM