




## e 855 Professional Vocal Microphone

The e 855 is a fully professional super-cardioid vocal microphone utilizing the very best in dynamic microphone technology to achieve new standards of quality and performance. Sound inlet basket: refined steel.

### Features—Benefits

- Metal construction—rugged and reliable
- Shock-mounted capsule—low sensitivity to impact and handling noise
- Hum compensating coil—reduces electrical interference
- Neodymium ferrous magnet with boron—keeps mic stable regardless of climate
- Falcon ring—consistent sound over time

### Technical Data

Pick-up pattern	super-cardioid
Frequency response	40–18,000 Hz
Sensitivity (free field, no load) (1 kHz)	1.8 mV/Pa
Nominal impedance	350 $\Omega$
Min. terminating impedance	1 k
Dimensions in inches	1.81 W x 7.28 L
Weight	11.64 oz

### Product Variants

e 855, e 855, EPACK855 (e 855, Stand, Cable), THREEPACK 855 (3x 855), e 855-S (with on/off switch)

### Supplied Accessories

- 1 protective pouch
- 1 MZQ 800 microphone clip

### Optional Accessories

21' XLR microphone cable	MC21N
Grey foam windscreen	MZW 4032
Floor stand with boom arm	SEMS 3000

### Architect's Specifications

The unit shall be a super-cardioid professional vocal microphone with a hum compensating coil. The frequency response shall be 40 Hz–18 kHz with a sensitivity (free field, no load) of 1.8 mV/Pa at 1 kHz, and nominal impedance of 350  $\Omega$ . The min. terminating impedance shall be 1 k. The unit shall be 1.81 W x 7.28 L inches and weight 11.64 oz. The unit shall be a Sennheiser e855 microphone

**Sennheiser Electronic Corporation**, 1 Enterprise Drive, Old Lyme, CT 06371

Telephone: 860-434-9190 • Fax: 860-434-1759 • Web: <http://www.sennheiserusa.com>

**Sennheiser Mexico:** Av. Xola 613, PH6, Col. Del Valle 03100, Mexico, DF. Telephone: (525) 639-0956. Fax: (525) 639-9482

**Sennheiser Canada:** 221 Labrosse Ave, Pte-Claire, PQ H9R 1A3. Telephone: 514-426-3013. Fax: 514-426-3953

Manufacturing Plant: Am Labor 1, 30900 Wedemark, Germany