Vscr manual

ToneBug

Overdrive





CONGRATULATIONS

on your purchase of ToneBug Overdrive, part of a brand new series of great-sounding, pared-down pedals from T-Rex Engineering.

ToneBug Overdrive puts the blues in your shoes – or under them, when you kick this sweet stomp box into gear. It gives you just the controls you need to define your very own classic overdrive sound. And it delivers loads of incredible warm tone that you'll find in a T-Rex pedal.

Using your ToneBug Overdrive is easy and intuitive. Just turn the page to get started.

READY, SET, GO!

Using your ToneBug Overdrive

Insert a 9 Volt alkaline battery or connect the pedal to one of the T-Rex FuelTank power supplies (not included).
This pedal accepts both 9 and 12 Volt DC (see technical specs).

Plug your guitar into the INPUT jack, and run a lead from the OUT-PUT jack into your amp.

Adjust the GAIN, TONE and LEVEL settings until you've found the sound you're looking for. And that's it!

Note: GAIN adjusts the amount of overdrive, or degree of "dirt". TONE determines the "brightness" of your gain. LEVEL adjusts the overall output level sent to your amplifier.

TECHNICAL SPECIFICATIONS:

Input Impedance @ 1KHz	Higher than 1 M Ohm
Output Impedance @ 1KHz	Lower than 1 K Ohm
Power supply	9V DC
Minimum Power supply Voltage	8V DC
Maximum Power supply Voltage	12,5V DC
Current Draw @ 9V DC	7 mA
Maximum input signal Vp/p	3,2 Vp/p
Battery Type	9V battery 6F22 Alkaline
Battery Life	12 to 16 Hours
External connectors	Input Jack. Output Jack, 9V DC Jack (center pin negative)
Controls	On/Off, Level, Gain, Tone
Depth	120 mm
Width	78 mm
Height	60 mm
Weight (excl. battery)	0,403 Kg

SMPLE SETTINGS:

Tube Warmth GAIN: 1 o'clock TONE: 11 o'clock LEVEL: 9 o'clock

Muddy Blues GAIN: 3 o'clock TONE: 9 o'clock LEVEL: 8 o'clock

Hot Edge GAIN: 5 o'clock TONE: 4 o'clock LEVEL: 8 o'clock



GUARANTEE

T-Rex Engineering offers a two-year guarantee on all our products. In the unlikely event of a malfunction, please send your product to us in Denmark. We will then repair or replace your product and send it back to you - free of charge and usually within 3 weeks. Please note that we cannot replace a product until we have received it here in Denmark.

ABOUT T-REX

Based in Vejle, Denmark, T-Rex Engineering makes classic and signature effects pedals for the world's best musicians. Our approach blends hi-tech innovation with old-world craftmanship - always in the service of killer tone.

ISSUED IN VEJLE, MARCH 2009

Steen Welder

Steen Meldgaard Laursen Managing Director

Lars Dahl-Jørgensen Development Director Sebastian Jensen
Production Director



T-Rex Engineering ApS, Tel.: +45 75 72 71 81, Fax: +45 75 72 71 98 www.t-rex-engineering.com, mail: info@t-rex-engineering.com